SUSTAINABLE GALS DEVELOPMENT GALS



2030 Agenda for Sustainable Development

66 ... It is a plan of action for people, planet and prosperity. It also aims to strengthen universal peace within a broader concept of freedom. We recognize that the eradication of poverty in all its forms and dimensions, including extreme poverty, is the biggest challenge facing the world and is an indispensable requirement for sustainable development.

- Source: Transforming our world: the 2030 Agenda for Sustainable Development, August 12, 2015













Preliminary

2. Hunger and food security



M 3. Health



4. Education



5. Gender equality and women's empowerment



6. Water and sanitation



7. Energy



8. Economic growth



9. Infraestructure, industrialization



10. Inequality



11. Cities



12. Sustainable consumption and production



13. Climate change



14. Oceans



15. Biodiversity, forests, desertification



16. Peace and justice



17. Partnerships

Explore

SUSTAINABLE GALS DEVELOPMENT



2030 Agenda for Sustainable Development

66 ... It is a plan of action for people, planet and prosperity. It also aims to strengthen universal peace within a broader concept of freedom. We recognize that the eradication of poverty in all its forms and dimensions, including extreme poverty, is the biggest challenge facing the world and is an indispensable requirement for sustainable development.

 Source: Transforming our world: the 2030 Agenda for Sustainable Development, August 12, 2015









Geographical coverage



Estados Unidos Mexicanos

Aguascalientes Morelos Baja California Nayarit Baja California Sur Nuevo Leon Campeche Oaxaca Coahuila de Zaragoza Puebla Colima Queretaro Chiapas Quintana Roo Chihuahua San Luis Potosi Ciudad de Mexico Sinaloa Sonora Durango Guanajuato Tabasco Guerrero Tamaulipas

Hidalgo Tlaxcala

Jalisco Veracruz de Ignacio de la Llave


Mexico Yucatan

Yucatan

Michoacan de Ocampo

SUSTAINABLE GALS







SUSTAINABLE GALS













SUSTAINABLE GALS












SUSTAINABLE GALS









Compare

Indicators

Calendar Contact

Search...








SUSTAINABLE GALS








SUSTAINABLE GALS DEVELOPMENT GALS



3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio






-V---

SUSTAINABLE GALS



3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio





Deaths of women per 100 000 live births















3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births

3.1.1. Maternal mortality ratio

Explore

1.1.	naternat mortatity rat		
Full	metadata		
	Goal:	Ensure healthy lives and promote well-being for all at all ages	
	Target:	By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births	

ıll n	netadata	
-	Goal:	Ensure healthy lives and promote well-being for all at all ages
\Rightarrow	Target:	By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births
	Name of indicator:	Maternal mortality ratio
	Definition:	The number of women who die from any cause related to or aggravated by pregnancy or its management (excluding accidental or incidental causes) during pregnancy or within 42 days of termination of pregnancy, per 100,000 live births.Represents the obstetric risk.
-	Type of indicator:	Global
	Algorithm for the calculation:	$IMM_t = \left(\frac{DM_t}{NV_t}\right) 100\ 000$ Meaning of the abbreviations:
		IMM,: Index mortality ratio in year t,
		DM _t : Number of women who die during pregnancy or within 42 days of termination of
		pregnancy, registred in year t, by principal residence state of the deceased,
		NV _t : Live births.
-	Narrative description of calculation: Unit of measure:	Is obtained by dividing the number of deaths of pregnant women, or within 42 days of termination of pregnancy registered in a given year by the number of live births in that year, multiplied by 100,000. Deaths of women per 100 000 live births
	Geographical coverage:	National and by state.
	Time reference:	1990 - 2014
_	Opportunity:	One year.
7	Periodicity:	Annual.
	•	
	Source of statistical information used to calculate the indicator.	Ministry of Health (SS). Sistema Nacional de Información en Salud (SINAIS). Base de datos del Subsistema de información sobre nacimientos (SINAC)**. National Institute of Statistics and Geography (INEGI) and Ministry of Health (SS). Bases de datos de Mortalidad. National Population Council (CONAPO). Proyecciones de la población de México 2010-2050 y estimaciones 1990-2009. Abril de 2013*. http://www.conapo.gob.mx/es/CONAPO/Proyecciones.
	Updated:	April 11th, 2016
	Next updating:	November 2016
	Ministry responsible for	Ministry of Health (SS), Directorate General on Health Information (DGIS),
	calculating the indicator:	willisty of Health (33). Directorate General of Health Monthalion (DGIS).
	Importance and purpose of the indicator:	The decline in maternal mortality is a huge challenge for the health system, its importance lies in its relationship with inequality, social and economic backwardness of the country. In the past decades, improving maternal health and reduce deaths especially has become a priority for the health sector with the implementation of various strategies such as Baby Friendly Hospital and Mother, the program Even Start in Life, pregnancy monitoring and the provision of food supplements to pregnant women and breast-feeding, through the Oportunidades Human Development program and Healthy Pregnancy strategy, through the Popular Health Insurance. The combat maternal mortality is not exclusive task of health services, so it is necessary to involve other stakeholders such as family, community and civil society organizations, in order to lay the foundations of a new culture of care health and thereby reduce the risks during pregnancy, childbirth and postpartum.
	International and/or national reference:	World Health Organization (WHO). http://www.who.int/mediacentre/factsheets/fs348/en/index.html .
	Observations:	* The data for the period 1990-2001 are estimated maternal mortality ratios. For this period, the national estimate was based on several national and international studies on underreporting of maternal mortality, and data from the National Survey of Demographic Dynamics. The estimate for the states was calculated relative to the national estimate, taking into account the percentage distribution of maternal deaths observed, so that the data did not consider the underreporting hetereogenidad between entities.
		However, since 2002, this indicator is calculated considering for the numerator the number of maternal deaths from 10 to 54 years occurred in the year by state of usual residence as vital statistics of deaths from INEGI / SS corresponding to the results of the "search Intentional and Reclassification of maternal deaths." From 2007 excludes deaths with residence abroad and from 2009 excludes maternal deaths out of time.
		* For 1990 - 2010, births (denominator) are estimated by CONAPO projections corresponding to the population of Mexico, 2010-2050 and 1990-2009 estimates based on the Census of Population and Housing 2010. This information is updated each time the CONAPO officially released new population projections prepared based on a census exercise and demographic balance.

















Explore

Yucatan



3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio

	T.
7=-	4

Deaths of wome	n per 1	00 000	live birt	ths)																		1990 -	2014
State														rtality r									4
Estados Unidos	38.9	38.2	42.3	43.0	2010 44.1	53.3	49.2	48.1	50.9	2005 54.0	53.5	2003 56.5	56.1	68.9	74.1	1999	1998 78.2	1997 77.6	1996 79.7	1995 80.5	1994 82.4	1993 84.0	
Mexicanos Aguascalientes	22.1	25.7	47.7	18.5	37.8	48.8	33.7	15.0	44.8	25.8	18.3	43.9	22.0	55.1	66.2	77.2	33.1	44.1	36.7	51.6	44.4	18.6	
Baja California	28.9	42.3	31.0	37.1	42.6	52.7	42.4	39.3	41.3	50.6	60.3	40.7	31.8	43.2	56.5	43.4	49.0	32.1	30.4	25.0	23.6	32.4	
Baja California Sur	15.9	32.1	23.3	31.7	35.2	44.9	45.8	74.6	37.9	28.9	39.1	89.1	60.1	20.3	20.4	41.1	72.5	73.1	10.5	31.9	0.0	54.4	
Campeche	18.0	65.4	42.8	63.1	49.4	49.6	43.7	18.8	63.2	69.8	44.6	57.5	70.3	25.6	57.3	57.0	62.6	74.3	98.1	139.9	115.1	102.8	
Coahuila de Zaragoza	37.0	27.0	34.4	39.5	44.3	27.6	34.8	23.7	25.4	43.3	27.0	37.6	40.9	47.8	42.3	40.3	71.6	31.3	48.6	39.9	43.3	45.2	
Colima	29.4	22.5	23.6	39.3	0.0	22.9	30.5	15.4	46.5	7.8	31.6	24.0	16.2	8.1	57.2	32.6	32.5	80.3	71.3	39.1	31.0	100.2	
Chiapas	68.1	54.8	60.6	51.8	60.2	61.5	79.2	66.7	69.5	68.9	79.9	87.5	77.0	92.6	71.9	98.1	89.9	93.9	82.2	104.8	110.1	124.4	
Chihuahua	56.5	59.8	46.7	67.7	57.0	78.6	54.1	65.5	61.3	81.7	49.2	48.2	73.8	80.6	70.8	77.9	51.0	98.1	92.3	53.4	59.9	71.6	
Ciudad de Mexico	41.9	41.9	40.1	40.8	55.2	51.4	48.6	61.8	53.2	53.7	57.7	64.9	49.9	70.5	81.0	104.2	102.6	88.2	96.4	83.2	102.6	106.6	
Durango	71.2	41.2	52.5	35.9	44.2	37.9	66.6	40.3	74.1	39.4	66.7	52.1	37.9	48.1	47.4	54.4	46.0	55.5	40.0	47.1	56.9	37.1	
Guanajuato	27.7	34.9	34.8	35.0	36.2	51.4	33.3	33.9	36.2	34.9	43.4	50.3	46.6	43.8	62.0	65.7	61.8	53.5	58.2	65.7	63.0	59.1	
Guerrero	58.7	59.4	75.9	90.1	69.4	87.5	78.9	80.4	103.9	103.1	82.1	99.4	88.5	115.2	113.1	117.4	132.3	100.9	144.3	93.6	140.3	99.5	
Hidalgo	65.5	37.5	37.8	28.9	52.1	53.5	50.0	53.5	46.1	65.0	59.4	55.7	53.8	51.9	55.0	87.3	59.6	67.5	71.6	95.2	89.4	88.7	
Jalisco	34.4	22.4	23.4	23.4	32.3	54.1	34.7	30.7	51.5	34.7	43.8	37.1	33.1	46.1	56.4	52.1	47.2	65.4	40.0	44.7	37.5	50.3	
Mexico	33.9	36.1	42.7	42.9	38.9	54.5	50.5	47.1	48.8	64.6	64.9	68.9	63.1	100.4	95.6	107.5	111.1	100.9	106.3	100.4	110.1	96.0	
Michoacan de Ocampo	47.7	36.7	41.7	57.9	53.9	44.6	47.7	42.2	57.1	49.1	41.3	49.4	40.6	61.7	61.9	74.7	82.2	74.8	59.2	83.7	59.8	74.3	
Morelos	9.1	44.5	39.0	40.0	29.3	67.2	44.1	44.4	50.3	68.0	41.4	83.0	74.1	82.8	67.4	66.6	106.0	87.4	132.8	100.6	91.4	93.5	
Nayarit	28.5	36.1	45.5	45.9	37.8	56.7	42.9	24.1	34.2	88.7	49.3	74.1	79.0	64.0	73.3	77.3	81.2	94.3	18.6	114.5	45.3	36.0	
Nuevo Leon	17.6	14.8	26.6	29.3	16.5	29.4	27.0	20.0	28.2	23.5	14.1	11.8	26.0	26.1	53.6	46.6	44.5	41.1	25.5	23.1	24.5	28.4	
Oaxaca	46.7	50.4	65.3	61.3	71.3	79.1	79.9	82.9	63.3	80.9	73.1	56.5	89.2	86.8	107.1	91.6	92.4	129.5	148.5	132.8	150.0	151.5	
Puebla	37.6	31.8	50.6	48.1	44.8	60.0	47.5	44.3	47.8	55.5	64.7	65.8	64.6	93.4	75.3	74.1	81.0	70.7	106.8	140.2	107.5	106.1	
Queretaro	34.5	35.0	19.8	40.2	34.7	31.9	42.4	44.7	52.5	39.4	47.1	44.4	49.4	64.8	97.8	64.0	73.9	66.0	43.0	75.7	103.5	108.7	
Quintana Roo	27.8	46.2	50.4	50.0	49.4	38.7	67.7	56.2	54.3	57.9	50.5	66.1	57.9	88.6	115.2	86.5	77.4	52.2	58.1	74.5	64.4	108.2	
San Luis Potosi	24.1	31.8	40.7	44.7	40.6	51.3	31.1	54.7	34.4	44.8	56.7	66.5	72.6	93.9	75.9	78.4	56.1	71.6	72.5	79.8	74.5	104.3	
Sinaloa	31.4	26.7	41.5	16.8	32.6	32.4	32.2	44.4	35.4	40.4	31.4	19.0	32.6	27.3	57.6	52.1	41.7	46.4	31.3	21.3	24.6	32.9	
Sonora	33.7	40.2	33.2	40.4	23.0	40.0	26.6	38.1	47.8	36.4	34.5	34.6	44.2	53.9	42.4	48.2	40.6	56.1	65.8	48.5	64.3	64.5	
Tabasco	40.7	27.4	34.2	41.4	29.7	48.5	58.7	48.0	43.6	43.1	42.7	44.8	30.5	18.2	50.3	88.3	76.0	85.9	43.9	37.8	65.6	47.8	
Tamaulipas	28.5	41.7	26.0	15.7	41.3	37.6	50.9	37.9	53.3	47.9	40.7	34.8	36.7	61.1	69.6	80.1	75.8	59.6	43.3	26.8	30.4	32.2	
Tlaxcala	51.4	23.2	59.4	27.3	55.3	43.4	23.6	27.4	54.6	54.2	46.2	61.5	72.9	84.2	64.9	99.3	91.7	133.7	99.4	149.2	80.6	77.2	
Veracruz de Ignacio de la Llave	43.4	46.4	51.0	56.3	54.7	64.7	67.9	68.1	53.8	55.0	66.0	61.0	71.9	66.2	85.6	97.5	83.3	73.7	104.3	102.0	106.3	117.3	

42.4 50.8 50.1 35.6 30.7 38.4 38.7 51.9 26.1 49.7 44.5 55.0 75.7 59.8 82.7 51.4 68.8 88.2 87.1 91.0 90.1 108.7

32.5 44.2 32.0 39.1 38.1 53.2 37.5 31.2 43.5 24.6 27.3 66.6 48.1 53.6 70.5 57.7 56.8 91.9 60.2 59.1 66.5 68.6





















3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births

3.1.1. Maternal mortality ratio

Explore

		\downarrow

iternal morta	lity ra	011																				
or calculations																						
(Deaths of wome	en per 1	00 000	live birt	hs)																	19	90 -20
State					D	eaths a	mong t	he fema	ile popi	ulation	when t	he wom	an is pr	egnant	o withi	n 42 da	ys after	the en	d of the	pregna	ancy	
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993
Estados Unidos Mexicanos	872	861	960	971	992	1,207	1,119	1,097	1,166	1,242	1,239	1,313	1,309	1,618	1,751	1,904	1,874	1,874	1,937	1,967	2,021	2,05
Aguascalientes	6	7	13	5	10	13	9	4	12	7	5	12	6	15	18	21	9	12	10	14	12	
Baja California	17	24	18	21	24	30	24	22	23	28	33	22	17	23	30	23	26	17	16	13	12	1
Baja California	2	4	3	4	4	5	5	8	4	3	4	9	6	2	2	4	7	7	1	3	0	

State					U	eatns a	mong t	ne rema	ne pop	ulation	wnen ti	ne wom	an is pr	egnant	o withi	n 42 da	ys arter	tne en	a of the	pregna	ancy	
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	199
Estados Unidos Mexicanos	872	861	960	971	992	1,207	1,119	1,097	1,166	1,242	1,239	1,313	1,309	1,618	1,751	1,904	1,874	1,874	1,937	1,967	2,021	2,05
Aguascalientes	6	7	13	5	10	13	9	4	12	7	5	12	6	15	18	21	9	12	10	14	12	
Baja California	17	24	18	21	24	30	24	22	23	28	33	22	17	23	30	23	26	17	16	13	12	1
Baja California Sur	2	4	3	4	4	5	5	8	4	3	4	9	6	2	2	4	7	7	1	3	0	
Campeche	3	11	7	10	8	8	7	3	10	11	7	9	11	4	9	9	10	12	16	23	19	1
Coahuila de Zaragoza	22	16	20	22	24	15	19	13	14	24	15	21	23	27	24	23	41	18	28	23	25	2
Colima	4	3	3	5	0	3	4	2	6	1	4	3	2	1	7	4	4	10	9	5	4	1
Chiapas	77	62	68	60	69	71	92	78	82	82	96	106	94	114	89	122	112	117	102	129	134	14
Chihuahua	39	41	32	46	39	55	38	46	43	57	34	33	50	54	47	51	33	63	59	34	38	4
Ciudad de Mexico	56	57	56	56	76	72	69	89	78	80	87	99	77	110	128	167	167	146	162	142	178	18
Durango	25	15	19	13	15	13	23	14	26	14	24	19	14	18	18	21	18	22	16	19	23	1
Guanajuato	32	41	42	42	42	60	39	40	43	42	53	62	58	55	79	85	81	71	78	89	86	8
Guerrero	43	44	56	69	53	68	62	64	84	85	69	85	77	102	102	108	124	96	139	91	137	9
Hidalgo	36	21	21	16	29	30	28	30	26	37	34	32	31	30	32	51	35	40	43	58	55	5
Jalisco	52	34	36	36	48	81	52	46	77	52	66	56	50	70	86	80	73	102	63	71	60	8
Mexico	99	107	130	127	119	166	154	144	149	197	198	210	192	305	290	326	337	307	323	304	332	28
Michoacan de Ocampo	44	35	40	53	49	41	44	39	53	46	39	47	39	60	61	75	84	78	63	91	66	8
Morelos	3	15	13	13	10	23	15	15	17	23	14	28	25	28	23	23	37	31	48	37	34	3
Nayarit	6	8	10	10	8	12	9	5	7	18	10	15	16	13	15	16	17	20	4	25	10	
Nuevo Leon	16	13	22	25	14	25	23	17	24	20	12	10	22	22	45	39	37	34	21	19	20	2
Oaxaca	38	41	53	50	59	66	67	70	54	70	64	50	80	79	99	86	88	125	145	131	149	15
Puebla	46	40	64	59	58	78	62	58	63	74	87	89	88	128	104	103	113	99	150	199	154	15
Queretaro	14	14	8	16	13	12	16	17	20	15	18	17	19	25	38	25	29	26	17	30	41	4
Quintana Roo	8	13	14	13	13	10	17	14	13	13	11	14	12	18	23	17	15	10	11	14	12	2
San Luis Potosi	13	17	22	24	22	28	17	30	19	25	32	38	42	55	45	47	34	44	45	50	47	6
Sinaloa	17	14	22	9	18	18	18	25	20	23	18	11	19	16	34	31	25	28	19	13	15	2
Sonora	18	21	17	22	12	21	14	20	25	19	18	18	23	28	22	25	21	29	34	25	33	3
Tabasco	20	14	17	21	14	23	28	23	21	21	21	22	15	9	25	44	38	43	22	19	33	2
Tamaulipas	17	25	16	10	26	24	33	25	35	31	26	22	23	38	43	49	46	36	26	16	18	1
Tlaxcala	13	6	16	7	14	11	6	7	14	14	12	16	19	22	17	26	24	35	26	39	21	2
Veracruz de Ignacio de la Llave	59	64	72	81	78	93	98	99	79	82	100	94	113	106	140	163	142	128	184	182	191	21
Yucatan	17	20	20	14	12	15	15	20	10	19	17	21	29	23	32	20	27	35	35	37	37	4
Zacatecas	10	14	10	12	12	17	12	10	14	8	9	22	16	18	24	20	20	33	22	22	25	2
Foreign	ND	ND	ND	ND	ND	ND	ND	ND	1	1	2	1	1	ND	ND	ND	ND	ND	ND	ND	ND	NI

















SUSTAINABLE GALS DEVELOPMENT



Consulting Indicadors

Explore





End poverty in all its forms everywhere

Target By 2030, eradicate extreme poverty for all people everywhere, currently measured as people living on less than \$1.25 a day

1.1.1. Proportion of population below the international poverty line, by sex, age, employment status and geographical location (urban/rural) - Global NE Target By 2030, reduce at least by half the proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions

1.2.1. Proportion of population living below the national poverty line, by sex and age - Global

1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N

See more



2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture

Target By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year 2.1. round

2.1.1. Prevalence of undernourishment - Global (N)

2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global (N)

Target By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons

Prevalence of stunting (height for age <2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global (N)

See more



3. Ensure healthy lives and promote well-being for all at all ages

Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births

3.1.1. Maternal mortality ratio - Global NE

3.1.2. Proportion of births attended by skilled health personnel - Global NE

Target By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births

3.2.1. Under-five mortality rate - Global NE

See more



Ensure inclusive and quality education for all and promote lifelong learning

Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes

4.1.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficiency level in (i) reading and (ii) mathematics, by sex - Global

Target By 2030, ensure that all girls and boys have access to quality early childhood development, care and pre-primary education so that they are ready for primary education

4.2.1. Proportion of children under 5 years of age who are developmentally on track in health, learning and psychosocial well-being, by sex - Global 😱

4.2.2. Participation rate in organized learning (one year before the official primary entry age), by sex - Global (N)

See more



5. Achieve gender equality and empower all women and girls



SUSTAINABLE GALS DEVELOPMENT GALS



Indicador geographical coverage

State(s) selected(s): Aguascalientes



calientes Municipality S	elect		_		Selected	indicators
ndicators			s Unidos canos	Aguaso	calientes	Target
ndicators		Baseline	Most recent data	Baseline	Most recent data	Mexico
1. End poverty in all its forms everywhere						
1.1. By 2030, eradicate extreme poverty for all p measured as people living on less than \$1.2	25 a day					
1.1.1 Proportion of population below the interna	tional poverty line, by sex, age		3.7	ND	2.4	To be
employment status and geographical local	ition (urban/rural) - Global NE	(1989)	(2014)	(1989)	(2014)	defined
3. Ensure healthy lives and promote well-being						
 By 2030, reduce the global maternal mortali live births 	ty ratio to less than 70 per 100,					
3.1.1. Maternal mortality ratio - Global NE		88.7 (1990)	38.9 (2014)	23.0 (1990)	22.1 (2014)	To be defined
3.1.2. Proportion of births attended by skilled he	ealth personnel - Global NE	76.7 (1990)	96.3 (2014)	91.5 (1990)	99.7 (2014)	To be defined
3.2. By 2030, end preventable deaths of newbor with all countries aiming to reduce neonatal 1,000 live births and under-5 mortality to at births	mortality to at least as low as	12 per				
3.2.1. Under-five mortality rate - Global NE		41.0 (1990)	15.1 (2014)	33.3 (1990)	11.8 (2014)	To be defined
6. Ensure access to water and sanitation for a	all					
6.1. By 2030, achieve universal and equitable ac water for all		· ·				
6.1.1. Proportion of population with regular accessource - Global NEM	ss to an improved drinking wat	<u>er</u> 78.4 (1990)	95.3 (2015)	95.5 (1990)	99.7 (2015)	To be defined
9. Build resilient infrastructure, promote sust	tainable industrialization and	foster innovation	1			
 Significantly increase access to information strive to provide universal and affordable ac developed countries by 2020 		y and				
9.c.1. Mobile cellular subscriptions per 100 inha	bitants - Global NE	13.87 (2000)	84.61 (2014)	16.31 (2000)	75.94 (2014)	To be defined
11. Make cities inclusive, safe, resilient and su	ıstainable					
11.1. By 2030, ensure access for all to adequate, basic services and upgrade slums	safe and affordable housing ar	nd				
11.1.1. Proportion of urban population living in s	lums - Global NEM	35.68 (1992)	13.05 (2014)	ND (1992)	5.76 (2014)	To be defined

Explore

SUSTAINABLE GALS



Bulk Export			-
Assort by:		State and municipality disaggregation	Selected indicators
Elements to be exported:	☐ Indicator ☐ Metadato ☐ Historical series	☐ Data for calculations	

1.1.1. Proportion of population below the international poverty line, by sex, age, employment status and geographical location (urban/rural) - Global NE	and address
1.1.1. Proportion of population below the international poverty line, by sex, age, employment status and geographical location (urban/rural) - Global NE larget By 2030, reduce at least by half the proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions 1.2. Proportion of population living below the national poverty line, by sex and age - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion of men, women and children of all ages it is dimensions according to national definitions - Global N Proportion	nt food all year and address ong children
1.2.1. Proportion of population living below the national poverty line, by sex and age - Global N 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N 2.1.1. Prevalence of undernourishment - Global N 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2.1. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2.1. Prevalence of submitting theight for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N 2.2.1. Prevalence of stunting five global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio - Global NE	nt food all year and address ong children
1.2.1. Proportion of population living below the national poverty line, by sex and age - Global N 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N 1.2.2. 1.2. 1.2. 1.3.1. 1.3.1. 1.3.1. 1.3.1. 1.3.1. Maternal mortality ratio - Global N 1.3.1. 1.3.1. 1.3.1. Maternal mortality ratio to less than 70 per 100,000 live births	nt food all year and address ong children
2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture [arget By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficie 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 3.2.1. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 3.2.1. Prevalence of adolescent girls, pregnant and lactating women and older persons [2.2.	nt food all year and address ong children
By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficie round 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N By 2030, end all forms of mainutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N 3. Ensure healthy lives and promote well-being for all at all ages By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio - Global NE	nt food all year and address ong children
By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficie round 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N By 2030, end all forms of mainutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N 3. Ensure healthy lives and promote well-being for all at all ages By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio - Global NE	and address ong children
2.1.1. Prevalence of undernourishment - Global N 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Prevalence of adolescent girls, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N Prevalence of stunting height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age to prevalence of stunting and wasting in children under 5 years of age.	and address ong children
2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, the nutritional needs of adolescent girls, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global N B. Ensure healthy lives and promote well-being for all at all ages By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3. 1 Maternal mortality ratio - Global NE	ong children
By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, the nutritional needs of adolescent girls, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global R By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. 3.1.1. Maternal mortality ratio - Global NE	ong children
the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) am under 5 years of age - Global R Because Healthy lives and promote well-being for all at all ages By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. Maternal mortality ratio - Global NE	ong children
Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. 3.1.1. Maternal mortality ratio - Global NE	See more
Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. 3.1.1. Maternal mortality ratio - Global NE	
3.1. Maternal mortality ratio - Global NE	
3.1. Maternal mortality ratio - Global NE	
3.1.2. Troportion of Buttle distributed by States feeding personnel Control	
Farget By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 births and under-5 mortality to at least as low as 25 per 1,000 live births 3.2.1. Under-five mortality rate - Global NE	per 1,000 live
	See more
Ensure inclusive and quality education for all and promote lifelong learning	
Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcome	es
4.1.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minin level in (i) reading and (ii) mathematics, by sex - Global	
Target By 2030, ensure that all girls and boys have access to quality early childhood development, care and pre-primary education so that they are ready for primary education and they are ready for primary education.	num proficiency



Search...

Bulk Export		- ₹
Assort by: Elements to be exported: State:	 National and state disaggregation □ Indicator □ Metadato □ Histor □ Aguascalientes □ Export 	Selected indicators

2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of underate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.1.2. Prevalence of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moil 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.2.2. Dirths and under-5 mortality to at least as low as 25 per 1,000 live births 3.2.1. Under-five mortality rate - Global NE See moil 3.2.1. Under-five mortality rate - Global NE See moil 3.2.1. Under-five mortality rate - Global NE See moil 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient 4.1.1. Proportion of chidren and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary ach		y in all its forms everywhere
1.1.1. Proportion of population below the international poverty ine, by sex, age, employment status and geographical location (urban/fural) - Global NE Target By 2030, reduce at least by half the proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions 1.2. Proportion of population fiving below the national poverty line, by sex and age - Global N		30, eradicate extreme poverty for all people everywhere, currently measured as people living on less than \$1.25 a day
1.2.1. Proportion of population living below the national poverty line, by sex and age - Global 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global 1.2.2. Proportion of men, women and children or and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year 2.1.1. Prevalence of undermourishment - Global 1.2.2. Prevalence of undermourishment - Global 1.2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global 1.2.2. Prevalence of undermourishment and lactating women and older persons 2.2.1. Prevalence of stunting the persons 2.2.1. Prevalence		Proportion of population below the international poverty line, by sex, age, employment status and geographical location (urban/rural) - Global NE
1.2.1. Proportion of population living below the national poverty line, by sex and age – Global (N) 1.2.2. Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions – Global (N) 2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 3. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 3. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 3. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 4. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 4. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 5. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 5. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 5. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 5. End hunger, achieve food security and improved nutrition and promote sustainable agriculture 5. End hunger, achieve food security and improved nutrition and sustainable agriculture 5. End hunger, achieve food su		30, reduce at least by half the proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions
2. End hunger, achieve food security and improved nutrition and promote sustainable agriculture Target By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Target By 2030, end all forms of mainutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moi 3. Ensure healthy lives and promote well-being for all at all ages Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE Target By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births See moi 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1.1. Proportion of children and young people: (a) in grades 2/3, (b) at the end of primary, and (c) at the end of lower secondary achieving at least a minimum proficient	1	Proportion of population living below the national poverty line, by sex and age - Global N
End hunger, achieve food security and improved nutrition and promote sustainable agriculture Target By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Target By 2030, end all forms of mainturition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address 2.2. the nutritional needs of adolescent gives, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moil 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.2. Line of the standard of the World all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births attended or at least as low as 25 per 1,000 live births See moil 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1. Proportion of children and young people: (a) in grades 2/3, (b) at the end of primary, and (c) at the end of lower secondary achieving at least a minimum proficient	1.2.2	Proportion of men, women and children of all ages living in poverty in all its dimensions according to national definitions - Global N
End hunger, achieve food security and improved nutrition and promote sustainable agriculture Target By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N Target By 2030, end all forms of mainturition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address 2.2. the nutritional needs of adolescent gives, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moil 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE 3.2. Line of the standard of the World all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births attended or at least as low as 25 per 1,000 live births See moil 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1. Proportion of children and young people: (a) in grades 2/3, (b) at the end of primary, and (c) at the end of lower secondary achieving at least a minimum proficient		See more
Target By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year cound 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of undernourishment - Global N Target By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2. Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moil 3. Ensure healthy lives and promote well-being for all at all ages Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE Target By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 25 per 1,000 live births 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary, and (c) at the end of lower secondary achieving at least a minimum proficient		<u>Gee mon</u>
2.1.2. Prevalence of undernourishment - Global N 2.1.1. Prevalence of undernourishment - Global N 2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N 2.2. Prevalence of moderate or severe food insecurity in the population of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N 2.2. 2.3.	2. End hunge	r, achieve food security and improved nutrition and promote sustainable agriculture
2.1.2. Prevalence of moderate or severe food insecurity in the population, based on the Food Insecurity Experience Scale (FIES) - Global N By 2030, end all forms of mainutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global N See moi 3. Ensure healthy lives and promote well-being for all at all ages Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE Target By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births 1. Under-five mortality rate - Global NE See moi 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient primary and (c) at the end of lower secondary achieving at least a minimum proficient profice.		
By 2030, end all forms of malnutrition, including achieving, by 2025, the internationally agreed targets on stunting and wasting in children under 5 years of age, and address the nutritional needs of adolescent girls, pregnant and lactating women and older persons Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global No. See moi. 3. Ensure healthy lives and promote well-being for all at all ages By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality to at least as low as 25 per 1,000 live births Lensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4. Ensure inclusive and quality education for children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	=	
the nutritional needs of adolescent girls, pregnant and lactating women and older persons 2.2.1 Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children under 5 years of age - Global NE		
3. Ensure healthy lives and promote well-being for all at all ages Target 3.1.		Prevalence of stunting (height for age <-2 standard deviation from the median of the World Health Organization (WHO) Child Growth Standards) among children
Target By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births 3.1. 3.1.1. Maternal mortality ratio - Global NE 3.1.2. Proportion of births attended by skilled health personnel - Global NE By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births births and under-5 mortality to at least as low as 25 per 1,000 live births 3.2. Under-five mortality rate - Global NE See mol 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient		
3.1.2. Proportion of births attended by skilled health personnel - Global NE By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births and under-5 mortality of at least as low as 25 per 1,000 live births 3.2.1. Under-five mortality rate - Global NE See moi 4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient		<u>See mon</u>
Target By 2030, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live births Linder-five mortality rate - Global NE See moi Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4. 1 4. 1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	Target By 20:	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births
4. Ensure inclusive and quality education for all and promote lifelong learning Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	Target By 203	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE
Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	Target By 200 3.1. 3.1.1 3.1.2 Target By 200 3.2. births	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births
Target By 2030, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes 4.1 4.1. Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	Target By 200 3.1. 3.1.1 3.1.2 Target By 200 3.2. births	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births
4.1 Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficient	Target By 20: 3.1. 3.1.1 3.1.2 Target By 20: 3.2. births 3.2.1	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births . Under-five mortality rate - Global NE See more
	Target By 20: 3.1.	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births . Under-five mortality rate - Global NE See more usive and quality education for all and promote lifelong learning
	Target By 20: 3.1. 3.1.1 3.1.2 Target By 20: 3.2. births 3.2.1 4. Ensure incl Target By 20: 4.1	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births . Under-five mortality rate - Global NE See more usive and quality education for all and promote lifelong learning 30, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes
	Target By 20: 3.1.	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births . Under-five mortality rate - Global NE See mon usive and quality education for all and promote lifelong learning 30, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes
4.2.1. Proportion of children under 5 years of age who are developmentally on track in health, learning and psychosocial well-being, by sex - Global	Target By 20: 3.1. 3.1.1 3.1.2 Target By 20: 3.2. 3.2.1 4. Ensure incl Target By 20: 4.1 4.1.1 Target By 20: 4.2.	althy lives and promote well-being for all at all ages 30, reduce the global maternal mortality ratio to less than 70 per 100,000 live births . Maternal mortality ratio - Global NE . Proportion of births attended by skilled health personnel - Global NE 30, end preventable deaths of newborns and children under 5 years of age, with all countries aiming to reduce neonatal mortality to at least as low as 12 per 1,000 live and under-5 mortality to at least as low as 25 per 1,000 live births . Under-five mortality rate - Global NE See more usive and quality education for all and promote lifelong learning 30, ensure that all girls and boys complete free, equitable and quality primary and secondary education leading to relevant and effective learning outcomes Proportion of children and young people: (a) in grades 2/3; (b) at the end of primary; and (c) at the end of lower secondary achieving at least a minimum proficience level in (i) reading and (ii) mathematics, by sex - Global NE 30, ensure that all girls and boys have access to quality early childhood development, care and pre-primary education so that they are ready for primary education



Search...












Compare

- 1

3. Ensure healthy lives and promote well-being for all at all ages > 3.1 By 2030, reduce the global maternal mortality ratio to less than 70 per 100,000 live births

3.1.1. Maternal mortality ratio - 3.1.2. Proportion of births attended by skilled health personnel



EXPLORE
The indicators

COMPARE
The relationship between indicators




SUSTAINABLE GALS



Compare



- 1. End poverty in all its forms everywhere > Target 1.1. By 2030, eradicate extreme poverty for all people everywhere, currently measured as people living on less than \$1.25 a day
- 1.1.1. Proportion of population below the international poverty line, by sex, age, employment status and geographical location (urban/rural)
- 11. Make cities inclusive, safe, resilient and sustainable > Target 11.1. By 2030, ensure access for all to adequate, safe and affordable housing and basic services and upgrade slums
- 11.1.1. Proportion of urban population living in slums



EXPLORE The indicators COMPARE

The relationship between indicator



