

Quality of vital statistics obtained from civil registration

| I. Basis of tabulation | Live births | Deaths | Infant deaths | Late foetal deaths | Marriages | Divorces |
|---|-------------|--------|---------------|--------------------|-----------|----------|
| Present basis of tabulation: | | | | | | |
| - date of occurrence | x | x | x | | x | x |
| - date of registration | | | | | | |
| How long has the present basis of tabulation been used? | | | | | | |

| II. Estimated completeness of registration | Live births | Deaths | Infant deaths | Late foetal deaths | Marriages | Divorces |
|---|-------------|--------|---------------|--------------------|-----------|----------|
| 90 per cent or more | | | | | | |
| 75-89 per cent | x | | | | | |
| 50-74 per cent | | | x | | | |
| Under 50 per cent | | | | | | |
| Please specify: | | | | | | |
| (a) Year(s) to which completeness estimate refers | 2011 | | 2011 | | | |
| (b) Basis of completeness estimate | | | | | | |
| -Demographic analysis | x | | x | | | |
| -Dual record check | | | | | | |
| -Questions in population census | x | | x | | | |
| -Questions in sample surveys | | | | | | |
| -Other (specify) | | | | | | |
| -No evaluation | | | | x | x | x |

Please include any reports describing completeness of registration and methods used in arriving at estimated completeness:

As for infant deaths, was used William Brass indirect estimation technique based on reports of mothers about the survivorship of their offspring (Brass 1975). The technique translates the mean number of children ever-born and the mean number of children surviving for specific five-year age groups of mothers into child mortality probabilities. As for births data a relational Gompertz model, it was possible to compare cohort parities from a census with vital birth registration, in order to evaluate the completeness of birth recording in a population registration system.

Quality of vital statistics obtained from other sources

| Basis of vital statistics estimates is | | | | | | |
|---|--|--|--|--|--|--|
| - Population censuses (date) | | | | | | |
| - Sample surveys | | | | | | |

| | | | | | | |
|------------------------|--|--|--|--|--|--|
| - Population registers | | | | | | |
| - Dual record systems | | | | | | |
| - Other (specify) | | | | | | |

Please include any reports describing the methods used for estimates of vital statistics based on other sources than civil registration:

Additional metadata for selected tables

Table 1.1 - Urban / rural definitions

| | |
|--|------------------|
| Please state the definition used for urban area and the period of time it has been in use: | all towns/cities |
| Please state the definition used for rural area and the period of time it has been in use: | all villages |

Table 1.6 - Grounds for legally induced abortion

| | | |
|--|---|--|
| <i>Please mark with an "X" the applicable options</i> | X | |
| a) Continuance of pregnancy would involve risk to the life of the pregnant woman greater than if the pregnancy were terminated. | x | |
| b) Continuance of pregnancy would involve risk of injury to the physical health of the pregnant woman greater than if pregnancy were terminated. | x | |
| c) Continuance of pregnancy would involve risk of injury to the mental health of the pregnant woman greater than if pregnancy were terminated. | x | |
| d) Continuance of pregnancy would involve risk of injury to the mental or physical health of the pregnant woman greater than if pregnancy were terminated. | x | |
| e) There is a substantial risk that if the child were born it would suffer from such physical or mental abnormalities as to be seriously handicapped. | x | |
| f) Other, please specify. | | |

Tables 14a, 14b, 15a and 15b - Life tables

| | |
|--|----------|
| Do the life tables refer to de Facto population or de Jure population? | de facto |
| Was any method used to smoothen the life table? Which one? | |
| Was any specific method used to close the life table at older ages (e.g., Gompertz, Makeham, etc.)? Which one? | Gompertz |

| | | |
|---|---|--|
| If any model life table or relational model was used to derive the life table (e.g., Coale-Demeny West, UN South Asian pattern), what model was used? | | |
| | | |
| <i>Please mark with an "X" the applicable options</i> | X | |
| What source of data was used to compute the life tables? | | |
| a) Unadjusted vital registration deaths | x | |
| b) Adjusted vital registration deaths | | |
| c) Deaths census information | | |
| d) Life expectancy at birth | | |
| e) Under-five mortality | | |
| f) Infant mortality | | |

| |
|--|
| |
|--|

Table 22 Minimum legal marriage age

| Please specify the minimum legal age at which marriage can take place: | Men | Women |
|--|-----|-------|
| a) With parental consent | | |
| b) Without parental consent | 18 | 18 |

| |
|--|
| |
|--|