Slovenia

Reporting Year: 2014

Quality of vital statistics obtained from civil registration

I. Basis of tabulation	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
Present basis of tabulation:						
- date of occurrence	X	Х	Х	Х	X	Х
- date of registration						
How long has the present basis of tabulation been used?						

II. Estimated completeness of registration	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
90 per cent or more	X	Х	Х	Х	X	Х
75-89 per cent						
50-74 per cent						
Under 50 per cent						
Please specify:						
(a) Year(s) to which completeness estimate refers	since 1954	since 1954	since 1954	since 1954	since 1954	since 1954
(b) Basis of completeness estimate						
-Demographic analysis						
-Dual record check						
-Questions in population census						
-Questions in sample surveys						
-Other (specify)	CENTRAL POPULATION REGISTER (CPR), BECAUSE ALL DEMOGRUSED FOR UPDATING THE CPR.		APHIC SURVE	YS ARE		
-No evaluation						

Please include any reports describing completeness of registration and methods used in arriving at estimated completeness:

Quality of vital statistics obtained from other sources

Basis of vital statistics estimates is			
- Population censuses (date)			

- Sample surveys						
- Population registers	Х	Х	Х	Х	X	Х
- Dual record systems						
- Other (specify)						

Please include any reports describing the methods used for estimates of vital statistics based on other sources than civil registration:

Slovenia

Reporting Year: 2014

Additional metadata for selected tables

Table 1.1 - Urban / rural definitions

Please state the definition used for urban area and the period of time	
it has been in use:	Modified EU typology based on population grid
Please state the definition used for rural area and the period of time it	
has been in use:	Modified EU typology based on population grid

Table 1.6 - Grounds for legally induced abortion

Please mark with an "X" the applicable options	Х	
a) Continuance of pregnancy would involve risk to the life of the pregnant woman greater than if the pregnancy were terminated.	х	
b) Continuance of pregnancy would involve risk of injury to the physical health of the pregnant woman greater than if pregnancy were terminated.	х	
c) Continuance of pregnancy would involve risk of injury to the mental health of the pregnant woman greater than if pregnancy were terminated.	х	
d) Continuance of pregnancy would involve risk of injury to the mental or physical health of the pregnant woman greater than if pregnancy were terminated.	х	
e) There is a substantial risk that if the child were born it would suffer from such physical or mental abnormalities as to be seriously handicapped.	х	
f) Other, please specify.	х	Up to the 10th week of pregnancy on woman's request.

Tables 14a, 14b, 15a and 15b - Life tables

Do the life tables refer to de Facto population or de Jure population?	Life tables refer to de Jure population.
	Complete life table is calculated every 5 years, the last one was calculated for 2007. Abridged
	life table is calculated every year. For Complete life tables 2007, for reducing the random
	effect, the smoothing method was implemented. The "Cubic smoothing spline" method in the
	"Spline toolbox" of the MATLAB 7.7 software was used. More:
Was any method used to smoothen the life table? Which one?	http://www.stat.si/eng/novica_prikazi.aspx?id=2397

Was any specific method used to close the life table at older ages (e.g., Gompertz, Makeham, etc.)? Which one?	For the years 2007 and on the method of partial probabilities of dying that rests on the data from one calendar year only was used		
If any model life table or relational model was used to derive the life table (e.g., Coale-Demeny West, UN South Asian pattern), what model was used?			
Please mark with an "X" the applicable options	X	T	
What source of data was used to compute the life tables?			
a) Unadjusted vital registration deaths	Х		
b) Adjusted vital registration deaths			
c) Deaths census information			
d) Life expectancy at birth			
e) Under-five mortality			
f) Infant mortality			

Table 22 Minumum legal marriage age

Please specify the minimum legal age at which marriage can take		
place:	Men	Women
a) With parental consent	15	15
b) Without parental consent	18	18