



Key Concepts = “Level 0” Training

Project: Advancing the SEEA
Experimental Ecosystem Accounting



Convention on
Biological Diversity





Overview

1. SEEA-EEA Training (Level 0)

- Overview of training modules
- Accounts
- Tools





Part 2: SEEA-EEA Training

- Accounts and Tools
- Flexible and modular (don't need all Accounts and Tools)
- Three levels:
 - Level 0 (All participants)
 - Level 1 (Compiling)
 - Level 2 (Providing data, country examples)
- Links to related training materials:
 - Secretariat for the Convention on Biological Diversity (SCBD)
 - Quick Start Package ([QSP](#)): includes GIS exercises
 - World Bank [WAVES](#)




SEEA-EEA Training Level 0

- **Learning objectives**
 - Understand the basic concepts of SEEA-EEA accounts and tools
 - **What** is it?
 - **Why** do we need it?
 - **What** does it look like?
 - **Expertise & data** required
 - **Links** to related training materials
 - For technical & scientific experts, this is:
 - Preparation for Level 1 (Compiling)
 - For policy experts and supporters you will:
 - Understand how to use and who to engage in the discussion




SEEA-EEA accounts and linkages

Physical Accounts (by spatial unit)



Monetary Accounts (by spatial unit)





Part 2: SEEA-EEA Training (Level 0)

Today's session presents 2-4 slides on each topic:

Accounts


- Ecosystem Extent Account
- Ecosystem Condition Account
- Socio-economic information
- Water Account
- Carbon Account
- Biodiversity Account
- Ecosystem Services Generation Account
- Ecosystem Services Use Account
- Ecosystem Capacity Account
- Augmented I-O tables
- Integrated Ecosystem Institutional Sector Accounts and Balance Sheet

Tools

- Classifications
- Spatial units, scaling and aggregation
- Biophysical modelling
- Valuation



Account 1: Extent





Level 0: Account 1: Extent

- **What?**

- *Ecosystem assets are spatial areas containing a combination of biotic and abiotic components and other characteristics that function together (SEEA-EEA Sections 2.31, 4.1)*
- **National** coverage of land cover, land use, ownership (terrestrial, freshwater, coastal and marine areas)

- **Why?**


- Land management, conservation policies
- Spatial foundation for other accounts
 - basis for allocating macro data to spatial units
- Builds on SEEA-CF (land, forest, water)
- Indicators:
 - Land cover change → where changes occurring
 - Land cover/use intensity → who owns it



Level 0: Account 1: Extent


- What does an Extent Account look like?

Maps



Tables

Cover	Urban and associated		Rainfed herbaceous cropland		Forest tree cover		Inland water bodies		Open wetlands	Total
Use	Infrastructure	Residential	Permanant crops	Maintenance	Forestry	Protected	Infrastructure	Aquaculture	Maintenance	
Ownership	Government	Private	Private	Private	Private	Government	Government	Private	Government	
Units	hectares									
Opening Stock										
Additions to Stock										
<i>Managed expansion</i>										
<i>Natural expansion</i>										
Reductions to stock										
<i>Managed regression</i>										
<i>Natural regression</i>										
Closing stock										





Level 0: Account 1: Extent

- **What does an Extent Account look like?**
 - An integrated spatial (GIS) database that overlays:
 - Land cover: forest, wetland, lake...
 - Use and intensity of use: agriculture, forestry, protected...
 - Ownership: business, private, government
 - Classified into **Spatial Units**
 - At high resolution (30m to 100m, maximum 500m) with national coverage
 - For two or more periods (change over time)
 - Based on comparable **Classifications, Quality, Methods** and **Spatial Units**
 - Units: hectares
 - Records: opening stock, closing stock, additions, reductions




Level 0: Account 1: Extent

- **What do you need to compile an Extent Account?**
 - GIS platform: software, protocols, **spatial units**
 - **Classifications**: land cover, land use, ownership
 - National level data:
 - Existing land account would be useful
 - Satellite: land cover, aerial photography
 - Census: agriculture, population, settlements
 - Forest inventories
 - Hydrological, topographic (rivers, drainage areas, elevation, coastlines)
 - Cadastral (ownership, tax)
 - Expertise:
 - Land managers, ecologists, geographers (GIS, satellite imagery, integration)



Account 2: Condition





Level 0: Account 2: Condition

- **What?**

- ***Ecosystem condition** reflects the overall quality of an ecosystem asset, in terms of its characteristics. (SEEA EEA paragraph 2.34)*

- **Why?**


- Policies to limit degradation of natural heritage, rehabilitation of degraded ecosystems
- Links to **capacity** to produce services (**Services Generation**)
- Indicators:
 - Indices of condition → change over time → where changes
 - Good/bad condition (exceeding “safe” levels) → where



Level 0: Account 2: Condition

What does a Condition Account look like?

Maps



Carbon

Water


Soil

Biodiversity

Vegetation

Tables

Ecosystem type	Ecosystem extent (ha)	Ecosystem condition					
		Vegetation	Biodiversity	Soil	Water	Carbon	Index
		biomass (tonnes)	Index	Organic matter	Quality Index	Carbon Balance	
Urban and associated							
Rainfed herbaceous cropland							
Forest tree cover							
Inland water bodies							
Open wetlands							



Scaling & aggregation



Level 0: Account 2: Condition

- **What does a Condition Account look like?**
 - Spatially-detailed condition measures (quality or biophysical) for each characteristic:
 - Vegetation
 - Biodiversity (species abundance, diversity indices)
 - Soil
 - Water
 - Carbon
 - Air
 - Overall measures (e.g., heterogeneity)
 - **Selected** to reflect an area's **capacity** to generate services
 - Summarized in terms of an **index**
 - Accounts for changes over time (accounting period)
 - Attributes changes to **drivers** (natural and human)




Level 0: Account 2: Condition

- **What do you need to compile a Condition Account?**
 - **Ecosystem Asset Account**
 - Common spatial database (**Spatial units**)
 - **Data:**
 - Condition measures from satellite imagery and field studies over two periods of time
 - Environmental monitoring data (water, air, soil, species)
 - **Expertise:**
 - Ecologists (vegetation, soil, water)
 - Statisticians (methodologists to create indices, **Scaling, Aggregation**)
 - Environmental policy analysts (focus on relevant indices)
 - Geographers (GIS, remote sensing, integration)



Account 3: Water





Level 0: Account 3: Water

- **What?**

- Spatially-detailed version of SEEA-CF water account to capture:
 - Inter-ecosystem flows of water (4.62),
 - Water quality and
 - Supply/use for ecosystems

- **Why?**


- Policies on water security, water quality, impacts of water abstraction on ecosystems
- Links to other accounts (**Condition, Ecosystem Services Generation**)
- Links to SEEA-CF; SEEA-WATER
- Indicators:
 - Local water supply/use, quality (use > supply?)
 - Variability in supply, trends (droughts, floods)



Level 0: Account 3: Water


- What does a Water Account look like?

Maps



Tables

	Use of water							Total use
	Agriculture, forestry and fishing	Mining & quarrying, manufacturing and construction	Electricity, gas, steam and air conditioning supply	Water collection, treatment and supply	Sewerage	Other industries	Households	
	millions m ³							
Source of abstracted water								
Inland water resources								
Surface water								
Groundwater								
Soil water								
Total								
Other water sources								
Precipitation								
Sea water								
Total								
Total use of abstracted water								
Abstracted water								
Distributed water								
Own use								





Level 0: Account 3: Water

- **What does a Water Account look like?**
 - Spatially-detailed data on:
 - Stock
 - Supply, and
 - Use including soil moisture & groundwater
 - Water quality measures (contribution to **Condition Account**)




Level 0: Account 3: Water

- **What do you need to compile a Water Account?**
 - Ecosystem Asset Account
 - SEEA-CF Water Account (national level)
 - Common spatial infrastructure (**Spatial Units**)
 - **Data:**
 - Spatially-detailed supply (rainfall, transfers)
 - Use (abstraction, inter-ecosystem transfers);
 - Water quality measures
 - **Expertise:**
 - Geographers (GIS and remote sensing)
 - Hydrologists
 - Ecologists
 - Climatologists



Account 4: Carbon





Level 0: Account 4: Carbon


- **What?**
 - Accounting for **biocarbon** as an asset (e.g., soil carbon)
 - Carbon-related services (sequestration and storage)
 - Carbon as a characteristic of ecosystem condition (productivity)
- **Why?**
 - Policies on climate change, low-carbon economy
 - Assess changes in land cover and land use on carbon stocks and sequestration
 - Links to other SEEA accounts (**Condition**, materials, **Services**)
 - Links to SEEA-CF (timber and soil)
 - Links to international guidelines ([IPCC](#) and [REDD+](#))
 - Indicators:
 - Natural and human additions to carbon stock → where
 - Natural and human removals from carbon stock → where



Level 0: Account 4: Carbon


What does a Carbon Account look like?

Maps



Tables

	Geocarbon	Biocarbon	Oceans	Atmosphere
	billion tonnes C			
Opening stock	10,000	400	20,000	100
Additions	-	4	10	24
Reductions	10	5	9	14
Closing stock	9,990	399	20,001	110





Level 0: Account 4: Carbon

- **What does a Carbon Account look like?**
 - Spatially detailed in terms of:
 - Stock
 - Additions, and
 - Reductions of **biocarbon**
 - Natural & human additions and removals




Level 0: Account 4: Carbon

- **What do you need to compile a Carbon Account?**
 - **Ecosystem Extent Account**
 - Common spatial infrastructure (**Spatial units**)
 - Lookup tables (sequestration and storage by land cover type)
 - **Data:**
 - Biocarbon (above-ground biomass) from satellite data
 - Carbon sequestration and storage from vegetation cover
 - Soil carbon from soil inventories
 - Removals from agriculture & forestry data, fires
 - **Expertise:**
 - Ecologists (biophysical modelling)
 - Agriculture, forestry experts
 - Geographers (GIS, remote sensing)



Account 5: Biodiversity





Level 0: Account 5: Biodiversity

- **What?**

- Spatially-detailed statistics on
 - Selected species (abundance, classification, diversity and status)
 - Selected habitats

- **Why?**


- Biodiversity and ecosystem policies (natural heritage, conservation); Aichi Target 2; Red-list Species
- Links to other SEEA accounts (**Condition, Ecosystem Services Generation**)
- Indicators:
 - Species populations → changes over time
 - Protected habitats → changes over time
 - Indices of species diversity → **Condition Account**



Level 0: Account 5: Biodiversity


What does a Biodiversity Account look like?

Maps



Tables

	Priority species & habitats								Index
	Species 1		Species 2		Species 3		Species 4...		
	Pop.	Habitat area	Pop.	Habitat area	Pop.	Habitat area	Pop.	Habitat area	
Reference									
Opening									
Closing									
Net change									





Level 0: Account 5: Biodiversity

- **What does a Biodiversity Account look like?**
 - Spatially-detailed summaries of key species and ecosystems
 - Species groups (genera, families, functional groups)
 - Species characteristics (sensitive, specialist...)
 - Habitat requirements (vegetation, corridors)
 - Habitat conditions (from **Condition Account**)




Level 0: Account 5: Biodiversity

- **What do you need to produce a Biodiversity Account?**
 - **Ecosystem Extent Account**
 - Common spatial infrastructure (**Spatial Units**)
 - **Data:**
 - Species ranges, population counts over time
 - Classifications (family, genus)
 - Characteristics (sensitive/tolerant, specialist/generalist, protection status...)
 - Habitat requirements
 - **Expertise:**
 - Ecologists (ranges, populations, characteristics...)
 - Statisticians (indices, scaling, biophysical modelling)
 - Geographers (GIS)



Account 6: Services Generation





Level 0: Account 6: Services Generation

- **What?**

- Physical and monetary flows of “final” ecosystem **services** from ecosystems to beneficiaries
- Directly used by (or affect) people

- **Why?**


- Inform policies of contribution of ecosystems to human well-being
- Assess trade-offs between development and conservation
- Link to standard economic production measures in SNA
- Link to other SEEA-EEA accounts (**Condition, Services Use**) and tools (**Valuation**)
- Indicators:
 - Flows of individual services (physical and monetary) → change
 - Indices of aggregated services by ecosystem type → change



Level 0: Account 6: Services Generation


- What does a Services Generation Account look like?

Maps



Tables

Type of service	Ecosystem type			
	Urban and associated	Forest tree cover	Agricultural land	Open wetlands
Provisioning		e.g., tonnes of timber	e.g., tonnes of wheat	
Regulating	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of P absorbed
Cultural	e.g., hectares of parkland	e.g., number of visitors / hikers		e.g., hectares of duck habitat



Lookup tables
Biophysical modelling



Level 0: Account 6: Services Generation

- Example (services in physical units)

Ecosystem service		Units	Land cover type							Provincial total	
			Urban	Pasture	Cropland	Forest	Heath	Peat	Water		Other nature
Provisioning	Hunting	kg meat	-	9,100	14,732	8,100	678	70		1,513	34,193
	Drinking water extraction	10 ³ m ³ water	4,071	7,026	11,227	3,117	214	-	478	862	26,995
	Crop production	10 ⁶ kg produce	-	-	1,868	-	-	-	-	-	1,868
	Fodder production	10 ⁶ kg dry matter		533	251						784
Regulation	Air quality regulation	10 ³ kg PM ₁₀	272	404	717	700	45	7	40	69	2,254
	Carbon sequestration	10 ⁶ kg carbon	875	8,019	273	50,664	393	149	-	1,056	61,429
Cultural	Recreational cycling	10 ³ trips	2,690	1,863	2,611	1,565	30	3	139	220	9,121

Source: Remme et al., 2014 (Limburg, the Netherlands)



Level 0: Account 6: Services Generation

- **What does a Services Generation Account look like?**
 - Spatially-detailed physical measures of “final” services according to common **Classification**:
 - Provisioning
 - Regulating
 - Cultural
 - Physical measures (crops, flood control, clean drinking water, carbon sequestration, recreation, ...)
 - Monetary measures where appropriate and available
- **Ecosystem Services Supply Account**




Level 0: Account 6: Services Generation

- **What do you need to create a Services Generation Account?**
 - Ecosystem Extent Account, Ecosystem Condition Account
 - Common spatial infrastructure (**spatial units**)
 - Common **classification** of services
 - **Data:**
 - Field studies
 - Transfer from other locations (**benefits transfer, valuation**)
 - Economic production (agriculture, forestry, fisheries, water)
 - **Biophysical modelling**
 - **Expertise:** ecologists, geographers (GIS), economists, policy analysts, statisticians



Account 7: Services Use





Level 0: Account 7: Services Use

- **What?**
 - Physical and monetary flows from ecosystems to **beneficiaries**
- **Why?**
 - Social, economic and environmental policies:
 - Who benefits from ecosystem services?
 - Who is dependent on ecosystem services?
 - Link to consumption accounts in SNA
 - Link to other SEEA-EEA accounts (**Ecosystem Services Generation**)
 - Indicators:
 - Dependence on ecosystem services → where and whom
 - Public goods from private ecosystems



Level 0: Account 7: Services Use

- What does a Services Use Account look like?

Services Generation Account

Tables

Type of service	Ecosystem type			
	Urban and associated	Forest tree cover	Agricultural land	Open wetlands
Provisioning		e.g., tonnes of timber	e.g., tonnes of wheat	
Regulating	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of P absorbed
Cultural	e.g., hectares of parkland	e.g., number of visitors / hikers		e.g., hectares of duck habitat

Service Type	Ecosystem Type	Use			
		Enterprises	Households	Government	Rest of the world
Provisioning	Urban and associated				
	Forest tree cover				
	Agricultural land				
	Open wetlands				
Regulating	Urban and associated				
	Forest tree cover				
	Agricultural land				
	Open wetlands				
Cultural	Urban and associated				
	Forest tree cover				
	Agricultural land				
	Open wetlands				





Level 0: Account 7: Services Use

- **What does a Services Use Account look like?**
 - Aggregate tables of use of ecosystem services (by beneficiary and ecosystem type)
 - Physical measures
 - Monetary measures where appropriate and available




Level 0: Account 7: Services Use

- **What do you need to compile a Services Use Account?**
 - **Services Generation Account**
 - **Data:**
 - Beneficiaries of ecosystem services (by service, type of beneficiary and type of asset)
 - **Expertise:** Ecosystem accounting



Account 8: Capacity





Level 0: Account 8: Capacity

- **What?**
 - **Expected** flows of services
 - Modeled using **Ecosystem Condition Account**
 - Current and future capacity to generate services
- **Why?**
 - Policies related to changing land use, land use intensity, environmental quality, population distribution
 - Ecosystem assessments: Trade-off scenarios of services for different future conditions
 - Estimate **Services Generation** if little data available
- **Indicators:**
 - Calculate **Ecosystem Asset Account**
 - “Value” is Net Present Value of future flows of services



Level 0: Account 8: Capacity

What do Capacity Accounts look like?

Condition Account (Current)

Ecosystem type	Ecosystem extent		Ecosystem condition					Index
	Area	Vegetation	Biodiversity	Soil	Water	Carbon		
	hectares							
Urban and associated								
Rainfed herbageous cropland								
Forest tree cover								
Inland water bodies								
Open wetlands								

Biophysical Modelling



Capacity (Current)

Type of service	Ecosystem type			
	Urban and associated	Forest tree cover	Agricultural land	Open wetlands
Provisioning		e.g., tonnes of timber	e.g., tonnes of wheat	
Regulating	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of P absorbed
Cultural	e.g., hectares of parkland	e.g., number of visitors / hikers		e.g., hectares of duck habitat

Assumptions about future



Condition Account (Future)

Ecosystem type	Ecosystem extent		Ecosystem condition					Index
	Area	Vegetation	Biodiversity	Soil	Water	Carbon		
	hectares							
Urban and associated								
Rainfed herbageous cropland								
Forest tree cover								
Inland water bodies								
Open wetlands								

Biophysical Modelling



Capacity (Future)

Type of service	Ecosystem type			
	Urban and associated	Forest tree cover	Agricultural land	Open wetlands
Provisioning		e.g., tonnes of timber	e.g., tonnes of wheat	
Regulating	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of P absorbed
Cultural	e.g., hectares of parkland	e.g., number of visitors / hikers		e.g., hectares of duck habitat



Level 0: Account 8: Capacity

- **What do Capacity Accounts look like?**
 - Spatially-detailed: by ecosystem and service type
 - Looks the same as the **Services Generation Account**
 - **But:** Service flows are modelled
 - Biophysical models estimate Capacity from **Condition**
 - Capacity Accounts record “hypothetical” flow of services
 - e.g., water purification potential of wetlands if there is no pollution or beneficiaries
 - Assumptions about the future are used to generate a future **Conditions Account**
 - Biophysical models estimate Future Capacity Account




Level 0: Account 8: Capacity

- **What do you need to compile a Capacity Account?**
 - Extent Account and Condition Account
 - Ecosystem services classification
 - Assumptions about the future
 - **Data:**
 - Ecological production functions
 - Models may be generic or calibrated to local conditions
 - **Expertise:**
 - Ecologists (modelling & production functions)
 - Spatial analysts (many models are linked to GIS packages)
 - Ecosystem accounting (to ensure coherence)
 - Stakeholders (to agree on future scenarios)



Account 9: Augmented I-O





Level 0: Account 9: Augmented I-O

- **What?**
 - Augmentation of standard Input-Output tables to take into account ecosystems (producers) and ecosystem services (commodities)
- **Why?**
 - Show contribution of ecosystems and services to the economy (direct and indirect)
 - Support decisions about the economic impacts of ecosystem change
 - Link to SNA
 - Use I-O methods to balance production and consumption




Level 0: Account 9: Augmented I-O

- What do Augmented I-O Accounts look like?

Augmented I-O

Services Supply

Type of service	Ecosystem type			
	Urban and associated	Forest tree cover	Agricultural land	Open wetlands
Provisioning	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of CO ₂ stored / released	e.g., tonnes of P absorbed
Regulating	e.g., hectares of parkland	e.g., number of visitors / hikers		e.g., hectares of duck habitat



Commodities	Producers						
	SNA industry Sectors				Ecosystems		
	1	2	3	4	1	2	
SNA Commodities	1	Standard I-O Table					
	2						
	3						
	4						
Ecosystem Services	Provisioning						
	Regulating						
	Cultural						

Services Use



Service Type	Ecosystem Type	Use			
		Enterprises	Households	Government	Rest of the world
Provisioning	Urban and associated				
	Forest tree cover				
	Agricultural land				
	Open wetlands				
Regulating	Urban and associated				
	Forest tree cover				
	Agricultural land				
Cultural	Open wetlands				
	Urban and associated				
	Forest tree cover				
	Agricultural land				



Level 0: Account 9: Augmented I-O

- **What do you Augmented I-O Accounts look like?**
 - National level I-O tables (provincial or state if available)
 - Rows added for commodities (ecosystem services)
 - Columns added for producers (ecosystems)
 - Physical or monetary
 - Need monetary to balance




Level 0: Account 9: Augmented I-O

- **What do you need to compile Augmented I-O Accounts?**
 - Services Generation Account (physical)
 - Services Supply Account (monetary)
 - Services Use Accounts (physical and monetary)
 - **Data:**
 - Economic production functions including ecosystem services
 - e.g., $\text{crop} = f(\text{ecosystem services, capital, labour...})$
 - **Expertise:**
 - Input-Output experts (set up and operation)
 - Productivity experts (production functions)
 - Ecological economists (production functions)



Account 10: Integrated Sector Accounts and Balance Sheet






Level 0: Account 10: Integrated Sector Accounts and Balance Sheet

- **What?**
 - Sector level summary accounts
 - Standard aggregates adjusted for degradation
- **Why?**
 - Augment the economic accounts of the SNA by integrating into a sequence of accounts
 - **Integrated Sector Accounts** produce aggregate measures of economic activity, such as national income and saving, which are adjusted for ecosystem degradation.
 - **Balance Sheets** compare the values of ecosystem assets with values of produced assets, financial assets (and liabilities) and other economic assets.



Level 0: Account 10: Integrated Sector Accounts and Balance Sheet

- What do Integrated Sector Accounts and Balance Sheet look like?



Accounting entry	Institutional Sectors				Total Economy
	Corporations	General government	Households	NPISH	
Production account					
<i>Depletion-adjusted Net Value Added</i>					
Generation of income account					
<i>Depletion-adjusted Net Operating Surplus</i>					
Allocation of primary income account					
<i>Depletion-adjusted balance of primary income</i>					
Distribution of secondary income account					
<i>Depletion-adjusted Net Disposable Income</i>					
Use of disposable income account					
<i>Depletion adjusted Net Saving</i>					
Capital account					
<i>Net lending/borrowing</i>					



Level 0: Account 10: Integrated Sector Accounts and Balance Sheet

- **What do Integrated Sector Accounts and Balance Sheet look like?**
 - For example, the Production Account takes
 - Total Output
 - Less: Intermediate consumption*
 - = Gross Value Added*
 - Less: Consumption of Fixed Capital*
 - = Net Value Added*
 - Less Depletion/Degradation of natural resources*
 - = Depletion-adjusted Net Value Added*
 - Similar calculations result in other important indicators:
 - *Depletion-adjusted Net Saving*




Level 0: Account 10: Integrated Sector Accounts and Balance Sheet

- **What do you need to compile Integrated Sector Accounts and Balance Sheet?**
 - Asset Account
 - Ecosystem Services Supply Account
 - Ecosystem Services Use Account
 - SNA
- **Data:**
 - Monetary value of assets, services
- **Expertise:**
 - National accounting
 - Ecosystem accounting



Supporting information: Socio-economic





Level 0: Supporting Information: Socio-economic

- **What?**
 - Socio-economic data and other Drivers of change
- **Why?**
 - People, governments and businesses are Drivers of change **and** beneficiaries of Ecosystem Services
 - Understand **why** a change occurred (natural or human?)
 - Support scenarios of future (**Capacity Account**)
 - Links to SEEA-EEA accounts (**Asset, Condition, Water, Carbon, Biodiversity, Services Generation, Services Use**)
- **Indicators:**
 - Allocate changes in assets to local, national and global drivers
 - Allocate generation of services to beneficiaries
 - Estimate dependence of population and business on ecosystems (food security, water security, flood risks)



Level 0: Supporting Information: Socio-economic

- **What does Socio-economic Information look like?**
 - Drivers of change:
 - Maps or tables to explain changes in Assets, Conditions and Services Generation
 - e.g., changes in land-use
 - e.g., trends in rainfall
 - Socio-economic data:
 - Maps or tables to explain business and population drivers
 - e.g., changes in commodity prices
 - e.g., trends in population growth
 - Maps or tables to calculate beneficiaries
 - e.g., population distribution



Level 0: Supporting Information: Socio-economic

- **What do you need to compile Socio-economic information?**
 - Common spatial infrastructure (**spatial units**)
 - **Drivers of change data:**
 - Local, global climate
 - Global, national, local economic conditions (GDP, employment, growth rates)
 - Local activities (agriculture intensity, forestry intensity, recreation intensity)
 - Local development plans (land use, urban expansion)
 - **Expertise:** Economists, climate specialists, sociologists, regional planners



Level 0: Supporting Information: Socio-economic

- **What do you need to compile Socio-economic information?**
 - **Socio-economic data:**
 - Local population distribution (Census, surveys, case studies):
 - Income
 - Industry of employment
 - Dependence on nature (**Case studies**)
 - Business types by location (surveys, Business Register)
 - Environmental protection expenditures
 - Dependence on nature (biomass, energy, water, pollution regulation...)
 - **Expertise:** Economists, sociologists, statisticians, geographers (GIS, integration)



End of Accounts...

Questions?

Discussion

- Prepare for group exercise...think about:
 - What are your priority accounts?
 - What are the opportunities to produce them?
 - Stakeholders?
 - Institutional mechanisms?
 - Current activities?
 - What are the constraints?
 - Data?
 - Capacity?

- Next up: **Tools**




Level 0: Tools

- Classifications
- Spatial units, scaling & aggregation
- Biophysical modelling
- Valuation: Linking to economic accounts
- Other tools:
 - Statistical quality guidelines
 - Interdisciplinary teams
 - Case studies and surveys
- **Not discussed:** GIS (spatial analysis), data analysis, communications, engagement, data management, project planning and evaluation...





Tools 1: Classifications





Level 0: Tools 1: Classifications

■ What?

- From SEEA-CF:
 - Land use
 - Economic units, industry sectors
- New and improved:
 - Land cover (terrestrial, freshwater, coastal and marine)
 - “Final” services

■ Why?

- Accounting needs consistent and coherent classifications
 - **C**onsistent: use same classification for same concept
 - **C**oherent: with other classifications
 - **C**omprehensive: **C**lassifications **C**ertify **C**omplete **C**overage



Level 0: Tools 1: Classifications

■ Land Cover

- Based on SEEA-CF (p.276) criteria
- Uses FAO LCCS3 (Food and agriculture Organization – Land Cover Classification System v3)
- High-level aggregate:
 - May adapt to local situations
 - Used as basis for “ecosystem type”

Cover classes

- Urban and associated developed areas
- Medium to large fields rainfed herbaceous cropland
- Medium to large fields irrigated herbaceous cropland
- Permanent crops, agriculture plantations
- Agriculture associations and mosaics
- Pastures and natural grassland
- Forest tree cover
- Shrubland, bushland, heathland
- Sparsely vegetated areas
- Natural vegetation associations and mosaics
- Barren land
- Permanent snow and glaciers
- Open wetlands
- Inland water bodies
- Coastal water bodies
- Sea



Level 0: Tools 1: Classifications

■ Land Use

- From SEEA-CF (p. 266)
- More detail (4-digit)

1.0 Land

- 1.1 Agriculture
- 1.2 Forestry
- 1.3 Aquaculture
- 1.4 Built up and related areas
- 1.5 Maintenance and restoration of environmental functions
- 1.6 Other uses of land
- 1.7 Land not in use

2.0 Inland waters

- 2.1 Aquaculture and holding facilities
- 2.2 Maintenance and restoration of environmental functions
- 2.3 Other uses of inland waters
- 2.4 Inland waters not in use

3.0 Coastal waters

- 3.1 Aquaculture and holding facilities
- 3.2 Maintenance and restoration of environmental functions
- 3.3 Other uses of coastal waters
- 3.4 Coastal waters not in use

4.0 Exclusive Economic Zone (EEZ)

- 4.1 Aquaculture and holding facilities
- 4.2 Maintenance and restoration of environmental functions
- 4.3 Other uses of coastal waters
- 4.4 Coastal waters not in use



Level 0: Tools 1: Classifications

- **Services**
- Based on **Common International Classification of Ecosystem Services (CICES)**
- Not mutually exclusive
- A list of “final” services
- More detail (4-digit)
- Does not include “supporting services” (= ecosystem functions)

Section	Division	Group
01. Provisioning	01.01 Nutrition	01.01.01 Biomass
		01.01.02 Water
	01.02 Materials	01.02.01 Biomass
		01.02.02 Water
	01.03 Energy	01.03.01 Biomass-based energy sources
		01.03.02 Mechanical energy
02. Regulation & Maintenance	02.01 Mediation of waste, toxics and other nuisances	02.01.01 Mediation by biota
		02.01.02 Mediation by ecosystems
	02.02 Mediation of flows	02.02.01 Mass flows
		02.02.02 Liquid flows
		02.02.03 Gaseous / air flows
	02.03 Maintenance of physical, chemical, biological conditions	02.03.01 Lifecycle maintenance, habitat and gene pool protection
		02.03.02 Pest and disease control
		02.03.03 Soil formation and composition
		02.03.04 Water conditions
		02.03.05 Atmospheric composition and climate regulation
03. Cultural	03.01 Physical and intellectual interactions with biota, ecosystems, and land-/seascapes [environmental settings]	03.01.01 Physical and experiential interactions
		03.01.02 Intellectual and representative interactions
	03.02 Spiritual, symbolic and other interactions with biota, ecosystems, and land-/seascapes [environmental settings]	03.02.01 Spiritual and/or emblematic
		03.02.02 Other cultural outputs




Level 0: Tools 1: Classifications

- From SEEA-CF: **Economic Units**
 - Enterprises (business → industry)
 - Households (people and non-corporate business)
 - Government
 - Rest of the world
- As beneficiaries, suppliers of ecosystem services
- SEEA-EEA adds a spatial dimension:
 - Local
 - Regional
 - National
 - Global



Tools 2: Spatial units





Level 0: Tools 2: Spatial units

■ What?

- A common definition of Spatial Units for all accounts
- Based on surface characteristics (terrestrial, freshwater, coastal and marine)

■ Why?




- Accounting needs **statistical units** about which information is compiled, derived, reported and compared
 - e.g., business statistics are built on locations, establishments, companies and enterprises
- Information is collected on many **spatial levels**
 - Needs to be consolidated within a GIS (Geographic Information System) or spatial model
- First step in **tabulating & aggregating** more detailed data
 - Not everybody is a GIS expert
- Links accounts together (**Assets, Conditions, Services Generation...**)




Level 0: Tools 2: Spatial units

Recommended three levels: hierarchical and mutually exclusive:

1. Basic Spatial Unit (BSU)
 - Pixel or grid cell
2. Land Cover Ecosystem Functional Unit (LCEU)
 - Homogenous according to criteria (cover, slope, drainage area, elevation...)
 - Consolidate for tables by LCEU type
3. Ecosystem Accounting Unit (EAU)
 - For reporting (sub-drainage area, administrative area...)



→ Establishes **Ecosystem Extent Account**





Level 0: Tools 2: Scaling

■ What?

- Converting information from one scale to another (spatial, temporal, thematic)

■ Why?

- Information exists in various types:
 - Point (water quality monitoring, “study sites”, etc.)
 - Area (land cover, protected area, species range, etc.)
 - Network (roads, streams, corridors, etc.)
- Need to understand how and when to attribute information from one scale to another



Level 0: Tools 2: Scaling

■ Main approaches

- **Downscaling**

- Attributing information from larger areas to smaller areas contained within them
- **Caution:** Data need to be evenly distributed

- **Upscaling**

- Attributing information from smaller areas to larger areas
- **Caution:** Data need to be representative

- **Transfer**

- Transferring information measured in one location to another
- Often used in terms of **Benefits Transfer**
- **Caution:** Locations need to be very similar



Level 0: Tools 2: Aggregation

■ What?

- Combining many measures into simpler ones
- Dissimilar measures may be aggregated using:
 - Indices (e.g., water quality index)
 - Conversion to common units (e.g., CO₂ equivalents)

■ Why?

- Accounting requires **aggregates** (of dollars, business types, sub-populations, regional summaries, national indicators...)
- Summary indicators for dashboards, linking to economic accounts




Level 0: Tools 2: Aggregation

- **Aggregating dissimilar biophysical measures:**
 - Requires indexing (comparison with reference)
 - Example: ecosystem condition measures, service measures
 - **Caution:** Requires understanding of relative importance of component measures (weighting)

- **Final aggregates**
 - e.g., total value of ecosystem services, total asset value
 - Require many assumptions (relative importance, methods...)
 - Services can be competing, complementary or independent
 - **Caution:** Monetary valuation is often applied inappropriately
 - **Valuation** results can be misleading



Tools 3: Biophysical modelling





Level 0: Tools 3: Biophysical modelling

■ What?

- Four main approaches:

1. Look-up tables
2. Statistical approaches
3. Geostatistical interpolation
4. Process-based modelling

■ Why?

- Estimate **Ecosystem Services** across spatial units and time
- Estimate **Ecosystem Capacity** from **Ecosystem Condition**
- Combine data from various sources and scales (e.g., point field data and satellite data)
- Estimate unknown data values
- GIS-based spatial modelling approaches have methods built-in



Level 0: Tools 3: Biophysical modelling

■ Approaches:

1. Look-up tables
2. Statistical approaches
3. Geostatistical interpolation
4. Process-based modeling

Attribute values for an ecosystem service (or other measure) to every **Spatial Unit** in the same class (e.g., a land cover class).

- Example: **Benefits Transfer**
- *one ha of forest = \$5000
→ attribute to each ha of forest*
- error rate: 60-70%



Level 0: Tools 3: Biophysical modelling

■ Approaches:

1. Look-up tables
2. **Statistical approaches** →
3. Geostatistical interpolation
4. Process-based modeling

Estimate ecosystem services, asset or condition based on known explanatory variables such as soils, land cover, climate, distance from a road, etc., using a statistical relation.

- Example: **Function Transfer**
- $Value = f(\text{land cover, population, roads, climate})$
- Error rate = 40-50%




Level 0: Tools 3: Biophysical modelling

Approaches:

1. Look-up tables
2. Statistical approaches
3. **Geostatistical interpolation** →
4. Process-based modeling

Use algorithms to predict the measure of unknown locations on the basis of measures of nearby known measures:

- Example: **Kriging**
- Error rate = ?



- Unknown
- Known



Level 0: Tools 3: Biophysical modelling

■ Approaches:


1. Look-up tables
2. Statistical approaches
3. Geostatistical interpolation
4. **Process-based modeling** →

Predict ecosystem services based on a set of future condition or management scenarios:

- Example: Scenario for future services based on expected changes in land cover, demand and management
- Error rate = 100%



Tools 4: Valuation techniques





Level 0: Tools 4: Valuation

■ What?

- Attributing economic or social value to assets & services
- Ecosystem services valuation produces:
 - Average values (per hectare, under specific conditions)
 - **Or** Marginal values (change in value of converting one hectare)
- Asset valuation:
 - Scenarios of future **Conditions** and demand → net present value of ecosystem



■ Why?

- Integrate with SNA
 - **Augmented I-O, Integrated Sector Accounts and Balance Sheet**
- Assessing trade-offs: Convert or protect?
- Monetary valuation is embedded in many:
 - National plans: cost/benefit, payment & compensation schemes
 - Research approaches: contingent valuation, choice modelling



Level 0: Tools 4: Valuation

■ Approaches (non-market):

• Revealed preferences:

- Production function (resource rent)
 - $\text{value} = f(\text{ecosystem, produced capital, labour})$
- Replacement cost: produce service with another ecosystem/asset
- Hedonic pricing: real-estate prices, wages with respect to distance
- Averting behaviour: expenditures to avoid degradation
- Travel cost: expenditures to enjoy a service (e.g., recreation)

• Stated preference:

- Contingent valuation, choice modelling: willingness to pay

• Simulated exchange values: model supply/demand

• Payments for ecosystem services (PES):

- Carbon, biodiversity markets

• Payments made to improve condition: Rehabilitation costs




Level 0: Tools 4: Valuation

■ Measurement challenges

- More challenging for Regulating and Cultural Services
- How to measure monetary value of regulating services?
 - Spatial dependencies (downstream, species/habitat)
 - Multiple beneficiaries
 - Risks (e.g., flood control, climate regulation)
- Non-linear responses
 - Thresholds/resilience, climate change, refuge areas
- Aggregating values of different services
 - Services can be competing, complementary or independent
- Transferring measured values from one site to another
 - (Discussed under **Biophysical Modelling & Scaling**)
- Highly dependent on decision context
 - Project assessment: trade-offs
 - Long-term sustainable use of ecosystems: high-level indicators
 - Payments and compensation: needs to have precise values



Tools 5: Other tools





Level 0: Tools 5: Other tools

■ What?

- Statistical **quality guidelines**

■ Why?

- Need a common concept of quality, uncertainty and “fitness for use”

■ How?

- Apply national or international guidelines
 - UN National Quality Assurance Framework (NQAF)
 - International Monetary Fund – Data Quality Assessment Framework (DQAF)
 - Disciplinary “accepted methods” are less-well documented
- Build a culture of quality:
 - Metadata, process documentation, strategic planning...





Level 0: Tools 5: Other tools

■ What?

- **Interdisciplinary teams** (ecology, economics, geography, policy, sociology, statistics...)

■ Why?

- **No single** discipline can do it alone
 - Need a shared “language”
 - Need to become **transdisciplinary**

■ How?

- Agree on common objectives and approaches
- Work together to avoid dividing project into disciplinary “stovepipes”
- Include experts, data providers, users and supporters on your team





Level 0: Tools 5: Other tools

■ What?

- **Case studies & surveys** linking services with benefits

■ Why?

- In some countries, there is a close relationship between ecosystem services and poverty, water security, food security, employment...
- Link ecosystem condition, services with socio-economic priorities (well-being, health, income, employment...)

■ How?

- Local surveys for priority stakeholders (e.g., dependent on ecosystem services)
- National sample surveys (e.g., water use, importance of nature, expenditures on environmental protection...)



Other related training materials

- Secretariat for the Convention on Biological Diversity (SCBD)
 - Quick Start Package (QSP) (Weber, 2014)
 - Available online at www.ecosystemaccounting.net
 - Includes free GIS software and tutorials
 - National Biodiversity Strategies and Action Plans
 - Training modules at www.cbd.int/nbsap/training/
- World Bank [WAVES](#)
- Statistics Canada:
 - [Measuring Ecosystem Goods and Services Teacher's Kit](#)



Evaluation of the training module

- Please complete the evaluation form for this module
- Online version: <http://tinyurl.com/pbopmy2>
- For this module
 - What did you learn that you could apply in your work?
 - Was the presentation clear and informative?
 - Was it too simple? Too complex?
 - Was there anything you did not understand?
 - What additions or deletions would you suggest (recognizing that the unit is intended for a general audience)?
 - Do you have any suggestions as to how the SEEA-EEA may be improved (concepts, principles) in this area?



References

- [SNA 2008](#)
- [SEEA Central Framework, SEEA-EEA, applications](#)
- [SCBD Quick Start Package](#) (www.ecosystemaccounting.net)
- World Bank WAVES: [Designing Pilots for Ecosystem Accounting](#)
- International Monetary Fund: [DQAF](#)
- UN: [NQAF](#)
- UNECE: [GSBPM](#)

Australian Bureau of Statistics, 2013. Land Account: Queensland, Experimental Estimates, 2013

Eigenraam, M., Chua, J. and HASKER, J., 2013. Environmental-Economic Accounting: Victorian Experimental Ecosystem Accounts, Version 1.0. Melbourne, Australia: Department of Sustainability and Environment, State of Victoria.

Remme, Roy P., Matthias Schröter, and Lars Hein. "Developing spatial biophysical accounting for multiple ecosystem services." *Ecosystem Services* 10 (2014): 6-18.

Statistics Canada, 2013. Human Activity and the Environment: Measuring Ecosystem Goods and Services 2013. 16-201-XWE. Ottawa: Government of Canada.

Weber, J., 2014. *Ecosystem Natural Capital Accounts: A Quick Start Package*. 77 (Technical Series). Montreal: Secretariat of the Convention on Biological Diversity.



Acknowledgements

- This project is a collaboration between The United Nations Statistics Division (UNSD), United Nations Environment Programme (UNEP) and the Secretariat of the Convention on Biological Diversity (CBD) and is supported by the Government of Norway.
- Contact: seea@un.org



Convention on
Biological Diversity

