




UNITED NATIONS STATISTICS DIVISION (UNSD)

**Workshop on Environment Statistics in support of the implementation
of the Framework for the Development of Environment Statistics,
Arusha, Tanzania, 6-10 July 2015**

Climate change and GHGs


Contents

- Part I – Understanding Climate Change
 - Definition of Climate Change
 - Framework on CC
 - Causes of CC
 - Reports on CC
 - CC Mechanisms
 - Evidence of CC -
Currently observed and predicted trends and impacts
 - Responses to CC – Conventions, Protocols and Reporting
- Part II – Greenhouse gas inventories
 - CC and Emissions of GHGs
 - GHG inventories – Methodologies, Calculation Tools and Guidelines
 - Institutional set up and inventory management
- Part III
 - Scope of CC related Statistics
 - Linkages to FDES



Part I


Understanding Climate Change



Definition of Climate Change

- Refers to a statistically significant variation in either the mean state of the climate or in its variability, persisting for an extended period (typically decades or longer). Climate change may be due to natural processes or external forcing, or to persistent anthropogenic changes in the composition of the atmosphere or in land-use. (*IPCC TAR, 2001*)
- A change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods (*UNFCCC Article 1*)
- The climate of a place or region is changed if over an extended period (typically decades or longer) there is a statistically significant change in measurements of either the mean state or variability of the climate for that place or region. (*UN/ISDR, 2004*)







Framework on CC



Reports on CC

- The Intergovernmental Panel on Climate Change (IPCC) is the leading international body for the assessment of climate change
- The different IPCC Reports on CC highlighted the progress made in understanding global warming
- FAR=First Assessment Report; SAR= Second; TAR= Third etc and recent = AR5
- Warming of the climate system is unequivocal, and since the 1950s, many of the observed changes are unprecedented over decades to millennia.

The World in Global Climate Models




Reports on CC

- In IPCC reports, geographic resolution (details about the areas/regions having CC impacts as well as factors driving CC) have been improved
- This is reflected in the characteristic of the generations of climate models used in the IPCC Assessment Reports: FAR (IPCC, 1990), SAR (IPCC, 1996), TAR (IPCC, 2001a), and AR4 (2007) + AR5 2014 which reveal changes in
 - Atmosphere: e.g. temperature, rainfall, land and ocean surface temperature
 - Ocean: e.g. ocean warming, acidification/PH
 - Cryosphere: e.g. snow cover
 - Sea level: e.g. rate of sea level rise...
 - Carbon and Other Biogeochemical Cycles: e.g. atmospheric concentrations of carbon dioxide, methane, and nitrous oxide




AR5



Causes of CC

- As the Earth depends on its atmosphere, a change in the atmosphere's chemistry causes changes in the climate
- Changes in the atmosphere are caused by burning coal, oil, and gas which results in emissions of Greenhouse gases (GHGs)
- GHGs are any of various gaseous compounds (such as carbon dioxide) that absorb infrared radiation, trap heat in the atmosphere, and contribute to the greenhouse effect



GHGs: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), fluorinated gases (F-Gases) such as hydro fluorocarbon (HFC), per fluorocarbon (PFC) and Sulphur hexafluoride (SF₆)


Climate change mechanism – The greenhouse effect



Climate change mechanism

Role of Greenhouse gases in CC


- GHGs cause CC and global warming
- The surface energy balance is the resultant of radiative components such as incoming and outgoing short-wave and long-wave radiation, and also non-radiative components such as sensible heating, latent heating, and the change in energy storage in water or substrate on land.




CC mechanism and global warming – Non-Radiative Components

Dec


Sensible Heat Flux




Net Radiation



Latent Heat Flux



Storage Change



-100 -50 -25 0 25 50 100 125 150 200 W/m²

Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies
Animation: Department of Geography, University of Oregon, March 2000


- **Positive values** for sensible and latent heat flux represent energy moving towards the atmosphere,
- **Negative values** represent energy moving away from the atmosphere.

- **Positive values** for change in heat storage represent energy moving out of storage,
- **Negative values** represent energy moving into storage.

CC mechanism and global warming - Radiative Components


- **Positive values** represent energy moving towards the surface,
- **Negative values** represent energy moving away from the surface.

Short-Wave Radiation





Dec

Long-Wave Radiation



Net Radiation



Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies
Animation: Department of Geography, University of Oregon, March 2000


CC mechanism and global warming

CO₂ concentration

Latest CO₂ reading
October 23, 2014

395.90 ppm

Carbon dioxide concentration at Mauna Loa Observatory




CC mechanism and global warming - CO₂ concentration - The KEELING Curve

Latest CO₂ reading
October 23, 2014


395.90 ppm


Carbon dioxide concentration at Mauna Loa Observatory



STAYING BELOW 2°C: THE CHOICES WE FACE


With current pledges on the table to cut emissions, we are heading to a 3.3°C warming future. No further action before 2020 will limit society's choices. As temperatures rise, so do the impacts.






Evidence of CC - Impacts

- Growing world population and expanding world economy are pressing against the planetary boundaries (capacity of the planet) and is a threat;
- CC induces
 - rising ocean levels or changes in the chemistry of the oceans
 - Warming atmosphere and ocean
 - Diminishing amounts of snow and ice, and
 - Increased concentrations of greenhouse gases
 - changes in storm patterns; drought frequency, and flood frequency;



Evidence of CC - Impacts

- Widespread impacts in a changing world. (A) Global patterns of impacts in recent decades attributed to climate change, based on studies since the AR4.
- Impacts are shown at a range of geographic scales. Symbols indicate categories of attributed impacts, the relative contribution of climate change (major or minor) to the observed impact, and confidence in attribution.



Evidence of CC – Accuracy of predictions


Confidence Terminology	Degree of confidence in being correct	Likelihood Terminology	Likelihood of the occurrence/ outcome
Very high confidence	At least 9 out of 10 chance	Virtually certain	> 99% probability
High confidence	About 8 out of 10 chance	Extremely likely	> 95% probability
Medium confidence	About 5 out of 10 chance	Very likely	> 90% probability
		Likely	> 66% probability
Low confidence	About 2 out of 10 chance	More likely than not	> 50% probability
Very low confidence	Less than 1 out of 10 chance	About as likely as not	33 to 66% probability
		Unlikely	< 33% probability
		Very unlikely	< 10% probability
		Extremely unlikely	< 5% probability
		Exceptionally unlikely	< 1% probability

The standard terms used to define levels of confidence in IPCC report are as given in the IPCC Uncertainty Guidance Note (IPCC AR4)


Predicted CC – Impact on Global Water Balance

- The impacts due to CC can be visible and the following indicators illustrates this fact
- Precipitable water vapor is a measure of available moisture in the atmosphere.
- Precipitation rate is the actual measurement of precipitation at the surface.
- Precipitation-Evaporation (P-E) represents the difference between precipitation and evaporation.
- Runoff/Water surplus are measurements of outflow of moisture.
- Soil moisture represents the pattern of storage of moisture at the surface.


Precipitation




Run Off/Water Surplus



P-E



Soil Moisture




Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies
Animation: Department of Geography, University of Oregon, March 2000

Predicted CC – Impact on Temperature

- Temperature changes are obvious around the globe
- Seasonal temperature variations can be explained in terms of the latitudinal and seasonal variations in the surface energy balance.
- The pattern of temperatures are a function of net short-wave radiation, net long-wave radiation, sensible heat flux, latent heat flux and change in heat storage.


(Source: University of Oregon

http://geog.uoregon.edu/envchange/clim_animations/index.html)



Data: NCEP/NCAR Reanalysis Project, 1959-1997 Climatologies
Animation: Department of Geography, University of Oregon, March 2000

Predicted CC – Impacts on surface runoff




- [P.C.D. Milly](#) (USGS) and K.A. Dunne

Responses to CC – Main International commitments

- Understanding human-induced climate change is a very important scientific process and the Intergovernmental Panel on Climate Change (IPCC) was created together with the UN Framework Convention on Climate Change (UNFCCC) to manage and monitor CC with parties (countries) which are UN signatories to agreements and commitments.
- UNFCCC is the legally binding framework that the world's governments agreed to in 1992 in Rio, Brazil.
- In this agreement is an annex that is attached to the document –
- **Annex 1 countries:** basically the rich countries and the post-communist countries of Central Europe and the former Soviet Union where rich countries can help poor countries (**Non Annex I**) to face the challenge of climate change and that countries should give regular reports on CC and GHG emissions.

Responses - Parties to the UNFCCC

- Parties to the UNFCCC Annex I and II and Kyoto Protocol



Responses to CC – main UN Conventions


- UNFCCC manages CC and IPCC (e.g. AR5) reveals facts about CC.
- Convention on Biological Diversity (CBD) builds on biological diversity - on the growing realization that human-induced climate change, pollution, deforestation, ocean acidification, and other human-caused factors were threatening the survival of other species.
- UN Convention to Combat Drought and Desertification (UNCCD) - a response to human devastation of droughts in Africa in the 1980's, was the challenge of the spreading deserts in the world as dry land regions became less and less hospitable in many places in the world and that is the challenge of combating desertification.

CC Adaptation and Mitigation

- **Climate mitigation** is any action taken to permanently eliminate or reduce the long-term risk and hazards of climate change to human life, property. It is an anthropogenic intervention to reduce the sources or enhance the sinks of greenhouse gases.
- **Climate adaptation** refers to the ability of a system to adjust to climate change (including climate variability and extremes) to moderate potential damage, to take advantage of opportunities, or to cope with the consequences. It is an adjustment in natural or human systems to a new or changing environment.



CC Adaptation and Mitigation




Responses - Kyoto Protocol and beyond

- The Parties included in Annex I shall, individually or jointly, ensure that their aggregate anthropogenic carbon dioxide equivalent emissions of the greenhouse gases listed in Annex A do not exceed their assigned amounts, calculated pursuant to their quantified emission limitation and reduction commitments inscribed in Annex B and
- in accordance with the provisions of this Article, with a view to reducing their overall emissions of such gases by at least 5 per cent below 1990 levels in the commitment period 2008 to 2012.
- In 2012, the Doha Amendment (to the Kyoto Protocol) was adopted. This amendment further reduced the GHG emissions assignments by at least 18 percent below 1990 levels in the eight-year period from 2013 to 2020. It also expands the list of GHGs regulated by the Kyoto Protocol.

Responses - Carbon trading


- Clean Development Mechanism (CDM)
- REDD+
- NAMAs
- Etc
- More info:
 - (1) <http://www.general-carbon.com/gc/index.php/carbon-credits-cdm,-vcs,-poa,-gs-energy-and-sustainability-services.html>
 - (2) <http://unfccc.int/2860.php>




Carbon Trading

- <https://www.youtube.com/watch?v=YfQyPl6BkP4>

Carbon Trading



Carbon Trading



- Source: Harvard Kennedy School

Responses - CC Reporting


- Reporting is required from all parties and comprises:
 - National circumstances
 - National greenhouse gas inventories
 - General description of steps taken or envisaged to implement the Convention
 - Measures to facilitate adequate adaptation to climate change
 - Measures to mitigate climate change
 - Other information (e.g awareness raising)
 - Constraints and gaps, and related financial, technical and capacity needs

Part II

GHG Inventories

CC and Emissions of GHGs

Total Annual Anthropogenic GHG Emissions by Groups of Gases 1970-2010




GHG inventories

- GHG and carbon footprint

A national system to allow a GHG inventory: an example



Inventory process



World Resources Institute © 2006

Carbon Footprint

GHG calculations

- Calculations

- Simplest (Tier 1):

$$CO_2e = \sum_{i=1}^n GHG_i \times GWP_i \quad (Eq. A - 1)$$

Emissions (E)= Activity data (AD) x Emission factor (EF)

- Complex (Tier 2, 3):

$$\begin{aligned} \text{Total Emissions} = & \sum_1^i (E_{CO_2} \times GWP_{CO_2})_i + \sum_1^i (E_{CH_4} \times GWP_{CH_4})_i + \sum_1^i (E_{N_2O} \times GWP_{N_2O})_i + \\ & \sum_1^i (E_{PFC} \times GWP_{PFC})_i + \sum_1^i (E_{HFC} \times GWP_{HFC})_i + \sum_1^i (E_{SF_6} \times GWP_{SF_6})_i \end{aligned}$$

$$E_{i,s,h} = \sum_{c=1}^{244} \left(\overbrace{E_{i,c,s,j}}^{\text{Annual emissions}} \frac{\overbrace{x_{c,s,j,m}}^{\text{Monthly share}}}{\sum_{m=1}^{12} x_{c,s,j,m}} \frac{\overbrace{7}}{n_{m,j}}^{\text{Daily share}} \frac{\overbrace{y_{c,s,d}}^{\text{Hourly share}}}{\sum_{d=1}^7 y_{c,s,d}} \frac{\overbrace{z_{c,s,d,h,t}}}{\sum_{h=1}^{24} z_{c,s,d,h,t}} \right)$$


Where:

E = Emissions; s = Country, sector, year and month specific activity; y = Country, sector and day specific activity;

z = Country, sector, day hour and time zone specific activity; n = month and year specific numbers of days



i = Grid code (flow to G); s = Sector; h = hour (also referenced to 1070) c = Country; j = Year; m = Month; d = Weekday

t = Time zone




GHG calculations

- Complexity of calculations and data needs increases with increase in Tier levels




GHG inventory manuals and Software

- IPCC
Guidelines



Evolution of IPCC Guidelines & other tools

TFI TSU has been supported by Government of Japan since 1999.



UNFCCC and IPCC TFI (4)

Currently, all the Parties use these under the UNFCCC and the Kyoto Protocol.

Annex I Parties shall use GPG.
Non-Annex I Parties are encouraged to use GPG.

GPG2000 (non-LULUCF) **GPG2003** (LULUCF)

1995 IPCC Guidelines

Revised 1996 IPCC Guidelines



Annex I Parties must use from 2015

2006 IPCC Guidelines



Revision/Update by the IPCC

GHG sectors – Current for Non Annex I countries



Energy

Electricity
Transport
Manufacturing
Commercial
Households Others



Industrial processes



Agriculture

Livestock
Soils
etc



Land Use, Land Use Change and Forestry



Waste Solid Liquid



Example worksheet

This spreadsheet contains sheet 1 of Worksheet 1-1, in accordance with the Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories.

This spreadsheet contains sheet 2 of Worksheet 1-1, in accordance with the Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories.


This spreadsheet contains sheet 3 of Worksheet 1-1, in accordance with the Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories.

MODULE			ENERGY						ENERGY					ENERGY				
SUBMODULE			CO ₂ FROM ENERGY SOURCES (REFERENCE APPROACH)						CO ₂ FROM ENERGY SOURCES (REFERENCE APPROACH)					CO ₂ FROM ENERGY SOURCES (REFERENCE APPROACH)				
WORKSHEET			1-1						1-1					1-1				
SHEETS			1 OF 5						2 OF 5					3 OF 5				
COUNTRY			0						0					0				
YEAR			0						0					0				
			A	B	C	D	E	F	G ^(b)	H	I	J	K	L	M	N	O	P
			Producti on	Imports	Exports	Internatio nal Bunkers	Stock Change	Apparent Consumpt ion	Conversi on Factor (TJ/Unit)	Apparent Consumpt ion (TJ)	Carbon Emission Factor (t C/TJ)	Carbon Content (t C)	Carbon Content (Gg C)	Carbon Stored (Gg C)	Net Carbon Emissions (Gg C)	Fraction of Carbon Oxidised	Actual Carbon Emissions (Gg C)	Actual CO ₂ Emissions (Gg CO ₂)
FUEL TYPES								F=(A+B -C-D-E)		H=(F×G)		J=(H×I)	K=(J/1000)		M=(K-L)		O=(M×N)	P=(O×[44/1 2])
Liquid Fossil	Primary Fuels	Crude Oil						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Orimulsion						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Natural Gas Liquids						0.00		0.00		0.00	0.00		0.00		0.00	0.00
	Secondary Fuels	Gasoline						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Jet Kerosene						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Other Kerosene						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Shale Oil						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Gas / Diesel Oil						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Residual Fuel Oil						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		LPG						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Ethane						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Naphtha						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Bitumen						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Lubricants						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Petroleum Coke						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
Refinery Feedstocks						0.00		0.00		0.00	0.00		0.00		0.00	0.00		
Other Oil						0.00		0.00		0.00	0.00	0.00		0.00		0.00	0.00	
Liquid Fossil Totals									0.00		0.00	0.00	0.00	0.00			0.00	0.00
Solid Fossil	Primary Fuels	Anthracite ^(a)						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Coking Coal						0.00		0.00		0.00	0.00	0.00	0.00		0.00	0.00
		Other Bit. Coal						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Sub-bit. Coal						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Lignite						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Oil Shale						0.00		0.00		0.00	0.00		0.00		0.00	0.00
		Peat						0.00		0.00		0.00	0.00		0.00		0.00	0.00

Example calculation process


Figure 2.1 Decision Tree for Selecting the Method for Estimation of CO₂ Emissions from Stationary Combustion

Decision
tree



Calculation process for complex calculations

Figure 2.5 Decision Tree for CH₄ and N₂O Emissions from Road Vehicles



• Example from road transport sector

GHG results

- Example emissions targets and related data

Country	Kyoto target	Existing policies and measures	Additional policies and measures	Use of carbon sinks	Use of Kyoto mechanisms	Existing and additional measures, use of carbon sinks and Kyoto mechanisms	
	Projections for 2010	Projected effect in 2010				Projections for 2010	Gap between projections and target
	% of base year	% of base year	% of base year	% of base year	% of base year	% of base year	% of base year
Austria	- 13.0 %	17.2 %	- 18.2 %	- 0.9 %	- 11.4 %	- 13.4 %	- 0.4 %
Belgium	- 7.5 %	- 3.6 %			- 4.8 %	- 8.4 %	- 0.9 %
Bulgaria	- 8.0 %	- 37.0 %	- 4.6 %			- 41.7 %	- 33.7 %
Cyprus	n.a.	101.6 %				87.9 %	n.a.
Czech Republic	- 8.0 %	- 25.8 %	- 3.1 %			- 28.8 %	- 20.8 %
Denmark	- 21.0 %	-9.7 %		- 3.3 %	- 6.1 %	- 19.0 %	2.0 %
Estonia	- 8.0 %	- 56.6 %	- 3.3 %			- 59.9 %	- 51.9 %
Finland	0.0 %	19.6 %	- 17.4 %	- 0.8 %	- 3.4 %	- 2.0 %	- 2.0 %
France	0.0 %	0.9 %	- 4.3 %			- 3.4 %	- 3.4 %
Germany	- 21.0 %	- 22.4 %	-3.3 %			- 25.7 %	- 4.7 %
Greece	25.0 %	34.7 %	- 9.8 %			24.9%	- 0.1 %
Hungary	- 6.0 %	- 28.5 %	- 0.2 %			- 28.7 %	- 22.7 %
Ireland	13.0 %	22.6 %	- 0.2 %	- 3.7 %	- 6.5 %	12.3 %	- 0.7 %
Italy	- 6.5 %	13.1 %	- 12.2 %	- 3.2 %	- 3.7 %	- 6.0 %	0.5 %
Latvia	- 8.0 %	- 46.2 %	- 2.4 %			- 48.6 %	- 40.6 %
Lithuania	- 8.0 %	- 30.2 %				- 30.2 %	- 22.2 %
Luxembourg	- 28.0 %	11.9 %	- 2.7 %		- 37.3 %	- 28.0 %	0.0 %
Malta	n.a.	123.5 %				123.5 %	n.a.
Netherlands	- 6.0 %	- 0.6 %		- 0.1%	- 9.4 %	- 10.1 %	- 4.1 %
Poland	- 6.0 %	- 28.4 %				- 28.4 %	- 22.4 %
Portugal	27.0 %	44.3 %	- 4.0 %	- 7.6 %	- 9.5 %	23.1 %	- 3.9 %
Romania	- 8.0 %	- 31.9 %	- 3.9 %			- 35.8 %	- 27.8 %
Slovak Republic	- 8.0 %	-20.2 %	- 3.1 %			- 23.3 %	- 15.3 %
Slovenia	- 8.0 %	6.8 %	- 8.2 %	- 8.3 %	- 3.0 %	- 12.7 %	- 4.7 %
Spain	15.0 %	42.3 %		- 2.0 %	- 11.0 %	29.2 %	14.2 %
Sweden	4.0 %	- 3.4 %		- 2.9 %		- 6.4 %	- 10.4 %
United Kingdom	- 12.5 %	- 23.2 %		- 0.5 %		- 23.7 %	- 11.2 %
EU-15	- 8.0 %	- 4.0 %	- 3.9 %	- 0.9 %	- 2.5 %	- 11.4 %	- 3.4 %
Croatia	- 5.0 %	0.4 %	- 11.1 %			- 10.8 %	- 5.8 %
Iceland	10.0 %	2.4 %				2.4 %	- 7.6 %
Liechtenstein	- 8.0 %	3.8 %				3.8 %	11.8 %
Norway	1.0 %	18.9 %			- 20.1 %	- 1.1 %	- 2.1 %
Switzerland	- 8.0 %	- 3.2 %	-2.4 %		- 3.1 %	- 8.7 %	- 0.7 %
Turkey	n.a.	99.7 %				99.7 %	n.a.

Example result of emissions/removals

Unit: kilotons of carbon dioxide equivalents

Example
from
Taiwan


Year	CO ₂	CH ₄	N ₂ O	HFCs	PFCs	SF ₆	CO ₂ absorption	Total GHG emission	Net GHG emission
1990	122,399	11,974	12,736	NE	NE	NE	-18,704	147,109	128,406
1991	131,853	11,219	13,537	NE	NE	NE	-16,947	156,609	139,661
1992	141,259	12,116	13,383	NE	NE	NE	-18,979	166,759	147,780
1993	152,725	13,424	13,679	1,592	NE	NE	-19,107	181,420	162,313
1994	160,162	14,000	13,937	1,802	NE	NE	-19,173	189,900	170,727
1995	167,308	15,545	13,902	1,689	NE	NE	-19,206	198,445	179,239
1996	175,754	15,495	14,217	2,752	NE	NE	-19,133	208,218	189,085
1997	188,951	15,447	12,360	3,115	NE	NE	-19,283	219,873	200,590
1998	198,340	15,149	11,908	4,391	NE	NE	-19,298	229,788	210,490
1999	207,130	14,660	12,258	3,392	NE	NE	-19,301	237,440	218,139
2000	224,661	11,028	12,443	5,639	2,386	494	-19,360	256,651	237,291
2001	230,576	9,200	12,437	5,412	2,021	546	-18,601	260,193	241,592
2002	239,593	7,250	12,205	5,415	2,509	593	-19,554	267,565	248,011
2003	248,599	6,196	11,205	4,920	2,776	969	-19,624	274,665	255,041
2004	257,279	5,920	11,734	4,494	2,852	1,285	-19,672	283,565	263,893
2005	263,819	4,979	11,461	1,647	2,505	2,893	-19,628	287,303	267,676
2006	271,774	4,486	11,674	1,028	2,657	2,993	-19,738	294,611	274,873
2007	274,973	4,127	11,429	1,031	2,309	2,933	-19,730	296,801	277,071
2008	263,606	4,727	10,839	1,001	1,498	2,844	-19,807	284,515	264,707

Notes:


1. NE means Not Estimated due to Insufficient data or Incomplete statistical work.
2. Data source: EPA Executive Yuan (except data of carbon dioxide emission due to fuel combustion by energy sector came from Bureau of Energy Ministry of Economic Affairs).

Institutional set ups and GHG MRV – Monitoring, Reporting and Verification

- Measurable
- Reliable
- Verifiable




Institutional set ups and GHG MRV



Climate finance readiness

- National registry A&M
- Carbon market



Quality Of GHG Inventories

- National GHG inventories must produce emission/removal data which are neither far over nor below real values as far as can be judged according to the available data and information
- National GHG inventories must be prepared in accordance with the **TACCC principles**:
 - Transparency
 - Accuracy
 - Completeness
 - Comparability
 - Consistency.



• Source: UNFCCC

GHG Inventory Preparation

- Identify **key categories** and significant subcategories (see IPCC good practice guidance (2000) chapter 7 and IPCC good practice guidance (2003) chapter 5).
- Select **methods** and **emission factors** (GPG decision trees at sector category level).
- Collect **activity data** (both statistical and parametric).
- Manage **recalculations** (if needed) (see IPCC good practice guidance (2000) chapter 7 and IPCC good practice guidance (2003) chapter 5).
- Implement **QA/QC plan**: (see IPCC good practice guidance (2000) chapter 8 and IPCC good practice guidance (2003) chapter 5)
 - **Basic checks** should be completed on entire inventory (Tier 1)
 - **More in-depth investigations** into key categories (Tier 2).
- Documentation.

National Inventory Management Team

Role	Name	Organization	Contact Information	Comments
<i>Inventory Director/Coordinator</i>				
<i>Energy Sector Lead</i>				
<i>Industrial Processes Lead</i>				
<i>Agriculture Sector Lead</i>				
<i>LULUCF Sector Lead</i>				
<i>Waste Sector Lead</i>				
<i>Archive (Data and Document) Manager/Coordinator</i>				
<i>QA/QC coordinator</i>				
<i>Uncertainty Analysis coordinator</i>				
<i>Other: e.g., GHG Policy Specialist who tracks capacity building efforts and IPCC processes</i>				

Steps for planning of GHG inventory

Appoint "National Entity" and "Inventory Co-ordinator"

Define Inventory Products and Plan Results Dissemination

Assign Other Inventory Personnel Specific Responsibilities

Establish Rules of Procedure for Overall Inventory Preparation

Establish Overall Inventory Preparation Schedule

Establish Major Legal and/or Collaboration Arrangements

Prepare Budget

Complete and Distribute Workplan


Complete Overall Inventory Preparation Instructions and Distribute with Supporting Materials

The GHG inventory cycle



Part III

Scope of CC related statistics



Some examples of Statistics required for CC

Include environmental, social and economic data that measure...

- Drivers: human caused sources and causes of emissions
- Greenhouse gas emissions
- Mitigation: efforts of humans to avoid the consequences
- Adaptation: efforts to adapt to these consequences
- Impacts: on human and natural systems



Some examples of Specific Statistics required for CC

- Re-occurrence of diseases
- New diseases
- Changes in current trends “Extreme events” (heat waves, storms, etc.)
- Water
- Land use, land cover changes, and soil degradation.
- Crop production patterns
- Jobs...“Green Jobs”
- Population / Demographics / Migration
- Types of “households”
- Need to be able to connect/combine different data sets



The Linkages to FDES

- As a cross-cutting issue, climate change statistics are spread over a large proportion of the domain of environment statistics.
- The very real challenge that this poses to environment statistics should not be underestimated.
- It is essential that the scientific approach to climate change be addressed, with the provision of well-structured, relevant, reliable and timely information; but the policy aspect and the supporting information that must inform it also remain pressing requirements that need to be confronted with a view to integration and coherence.

The Linkages to FDES

- The FDES provides a very comprehensive and structured way to collect and build statistics for components of the environment that will be crucial in climate change studies, policies and strategies.
- The issues presented so far can therefore be tracked by applying the FDES

FDES 2013

- The process for CC Stats is well elaborated in the FDES.
- Being a comprehensive framework, the FDES contains topics that are cross cutting to CC
- Cross-cutting issues of climate change is well-represented through the FDES

Climate Process Drivers	
Sub-component 1.3: Environmental Quality	Sub-component 3.1: Emissions to Air
1.3.1 Air quality	3.1.1 Emissions of greenhouse gases
	3.1.2 Consumption of ozone depleting substances (ODS), by substance

Climate Change Evidence	
Sub-comp. 1.1: Physical Conditions	Sub-comp. 4.1: Natural Extreme Events and Disasters
1.1.1 Atmosphere, climate and weather	4.1.1 Occurrence of natural extreme events and disasters
1.1.2 Hydrographical characteristics	

Climate Change Impacts and Vulnerability						
Sub-comp. 1.1: Physical Conditions	Sub-comp. 1.2: Land Cover, Ecosystems and Biodiversity	Sub-comp. 1.3: Environmental Quality	Sub-comp. 2.3: Land	Sub-comp. 4.1: Natural Extreme Events and Disasters	Sub-comp. 5.1: Human Settlements	Sub-comp. 5.2: Environmental Health
1.1.2 Hydrographical characteristics	1.2.1 Land cover	1.3.3 Marine water quality	2.3.1 Land use	4.1.2 Impact of natural extreme events and disasters	5.1.3 Housing conditions	5.2.3 Vector borne diseases
1.1.4 Soil characteristics	1.2.2 Ecosystems and biodiversity					5.2.4 Health problems associated with excessive UV radiation exposure
	1.2.3 Forests					

Mitigation and Adaptation			
Sub-comp. 2.2: Energy Resources	Sub-comp. 6.1: Environment Protection and Resource Management Expenditure	Sub-comp. 6.2: Environmental Governance and Regulation	Sub-comp. 6.3: Extreme Event Preparedness and Disaster Management
2.2.2 Production, trade and consumption of energy	6.1.1 Government environment protection and resource management expenditure	6.2.2 Environmental regulation and instruments	6.3.1 Preparedness for natural extreme events and disasters
	6.1.2 Corporate, non-profit institution and household environment protection and resource management expenditure	6.2.3 Participation in MEAs and environmental conventions	

Thank you

FOR YOUR KIND ATTENTION

